

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:

C07K 14/00, 7/06, 7/08, C07D 239/46, 239/54, 403/04

A1

(11) International Publication Number:

WO 98/16550

(43) International Publication Date:

23 April 1998 (23.04.98)

(21) International Application Number:

PCT/GB97/02820

(22) International Filing Date:

13 October 1997 (13.10.97)

(30) Priority Data:

9621367.3

14 October 1996 (14.10.96) GB

(71) Applicant (for all designated States except US): ISIS INNO-VATION LIMITED [GB/GB]; 2 South Parks Road, Oxford

OX1 3UB (GB).

(72) Inventor; and

(75) Inventor/Applicant (for US only): LOWE, Gordon [GB/GB]; 17 Norman Avenue, Abingdon, Oxon OX14 2HQ (GB).

(74) Agent: PENNANT, Pyers; Stevens Hewlett & Perkins, 1 Serjeants' Inn, Fleet Street, London EC4Y 1LL (GB). ____

Published

With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.


(81) Designated States: JP, US, European patent (AT, BE, CH, DE,

DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).

(54) Title: CHIRAL PEPTIDE NUCLEIC ACIDS

(57) Abstract

Chiral peptide nucleic acids are provided which hybridise strongly with complementary nucleic acids and have potential as antigene and antisense agents and as tools in molecular biology. Compounds with cis-stereochemistry and based on proline and a spacer amino acid have structures (II), (III), where n is 1 or 2 - 200, B is a protected or unprotected base, R is H or alkyl, aralkyl or heteroaryl and may be substituted, X may be OH, and Y may be H.



$$\begin{bmatrix} X & & & & \\ O & & & & \\ O & & & & \\ N & & & & \\ R^{N} & & & & \\ Y & & & & \\ \end{bmatrix}_{n}$$
 (III)

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

Albania	ES	Spain	LS	Lesotho	SI	Slovenia
Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
Austria	FR	France	LU	Luxembourg	SN	Senegal
Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
Benin	ΙE	Ireland	MN	Mongolia	UA	Ukraine
Brazil	IL	Israel	MR	Mauritania	UG	Uganda
Belarus	IS	Iceland	MW	Malawi	US	United States of America
Canada	IT	Italy	MX	Mexico	$\mathbf{U}\mathbf{Z}$	Uzbekistan
Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
Cameroon		Republic of Korea	PL	Poland		
China	KR	Republic of Korea	PT	Portugal		
Cuba	KZ	Kazakstan	RO	Romania		
Czech Republic	LC	Saint Lucia	RU	Russian Federation		
Germany	LI	Liechtenstein	SD	Sudan		
Denmark	LK	Sri Lanka	SE	Sweden		
- · ·	7.73	Y ikawia	SG	Cincopora		
Estonia	LR	Liberia	30	Singapore		
	Armenia Australa Australia Azerbaijan Bosnia and Herzegovina Barbados Belgium Burkina Faso Bulgaria Benin Brazil Belarus Canada Central African Republic Congo Switzerland Côte d'Ivoire Cameroon China Cuba Czech Republic Germany Denmark	Armenia FI Austria FR Australia GA Azerbaijan GB Bosnia and Herzegovina GE Barbados GH Belgium GN Burkina Faso GR Bulgaria HU Benin IE Brazil IIL Belarus IS Canada IT Central African Republic JP Congo KE Switzerland KG Côte d'Ivoire KP Cameroon China KR Cuba KZ Czech Republic LC Germany LI Denmark	Armenia FI Finland Austria FR France Australia GA Gabon Azerbaijan GB United Kingdom Bosnia and Herzegovina GE Georgia Barbados GH Ghana Belgium GN Guinea Burkina Faso GR Greece Bulgaria HU Hungary Benin IE Ireland Brazil IL Israel Belarus IS Iceland Canada IT Italy Central African Republic JP Japan Congo KE Kenya Switzerland KG Kyrgyzstan Côte d'Ivoire KP Democratic People's Cameroon China KR Republic of Korea Cuba KZ Kazakstan Czech Republic LC Saint Lucia Germany LI Liechtenstein Denmark LK Sri Lanka	Armenia FI Finland LT Austria FR France LU Australia GA Gabon LV Azerbaijan GB United Kingdom MC Bosnia and Herzegovina GE Georgia MD Barbados GH Ghana MG Belgium GN Guinea MK Burkina Faso GR Greece Bulgaria HU Hungary ML Benin IE Ireland MN Brazil IL Israel MR Belarus IS Iceland MW Canada IT Italy MX Central African Republic JP Japan NE Congo KE Kenya NL Switzerland KG Kyrgyzstan NC Côte d'Ivoire KP Democratic People's NZ Cameroon Republic G KR Capa KR Capa KR Capa KR Capa KR Capa Capa PL China KR Republic of Korea PL Cuba KZ Kazakstan RO Czech Republic LC Camaroy LI Licchtenstein SD Denmark LK Sri Lanka	Armenia FI Finland LT Lithuania Austria FR France LU Luxembourg Australia GA Gabon LV Latvia Azerbaijan GB United Kingdom MC Monaco Bosnia and Herzegovina GE Georgia MD Republic of Moldova Barbados GH Ghana MG Madagascar Belgium GN Guinea MK The former Yugoslav Burkina Faso GR Greece Republic of Macedonia Bulgaria HU Hungary ML Mali Benin IE Ireland MN Mongolia Brazil IL Israel MR Mauritania Belarus IS Iceland MW Malawi Canada IT Italy MX Mexico Central African Republic JP Japan NE Niger Congo KE Kenya NL Netherlands Switzerland KG Kyrgyzstan NO Norway Côte d'Ivoire KP Democratic People's NZ New Zealand China KR Republic of Korea PL Poland China KR Republic of Korea PL Portugal Cuba KZ Kazakstan RO Romania Czech Republic LC Saint Lucia RU Russian Federation Germany LI Liechtenstein SD Sudan	Armenia FI Finland LT Lithuania SK Austria FR France LU Luxembourg SN Australia GA Gabon LV Latvia SZ Azerbaijan GB United Kingdom MC Monaco TD Bosnia and Herzegovina GE Georgia MD Republic of Moldova TG Barbados GH Ghana MG Madagascar TJ Belgium GN Guinea MK The former Yugoslav TM Burkina Faso GR Greece Republic of Macedonia TR Bulgaria HU Hungary ML Mali TT Benin IE Ireland MN Mongolia UA Brazil IL Israel MR Mauritania UG Belarus IS Iceland MW Malawi US Canada IT Italy MX Mexico UZ Central African Republic JP Japan NE Niger VN Congo KE Kenya NL Netherlands YU Cote d'Ivoire KP Democratic People's NZ New Zealand China KR Republic of Korea PL Poland China KR Republic of Korea PT Portugal Cuba KZ Kazakstan RO Romania Czech Republic LC Saint Lucia RU Russian Federation Germany LI Liechenstein SD Sudan Denmark LK Sri Lanka SE Sweden

CHIRAL PEPTIDE NUCLEIC ACIDS

5 Introduction

10

15

20

This invention describes the synthesis and properties of a novel class of chiral peptide nucleic acids (cPNAs) which hybridise strongly with complementary nucleic acids. As such they have potential as antigene and antisense agents and as tools in molecular biology.

Oligonucleotides are potentially useful for the regulation of genetic expression by binding with DNA or mRNA¹. However, natural oligonucleotides are degraded by nucleases, consequently there is considerable interest in synthetic oligonucleotide analogues which are stable under physiological conditions. Recently, there has been interest in oligonucleotide analogues in which the sugar-phosphate backbone is replaced by a peptide chain² after the success of the so-called Peptide Nucleic Acids (PNA)³, but more correctly referred to as Polyamide Nucleic Acids⁴.

The sugar phosphate backbone of a nucleic acid consists of a repeating unit of six atoms, configurationally and conformationally constrained by the D-ribose or 2'-deoxy-D-ribose ring. If this could be replaced by a dipeptide unit the new backbone would be amenable to preparation by solid phase peptide synthesis. Molecular modelling by computer graphics suggested that a peptide chain consisting of an alternate sequence of a "nucleo-amino acid" derived from proline and a "spacer amino acid", which could be any amino acid, should be a suitable structural analogue of the ribose phosphate backbone of nucleic acids as shown.

25

- 2 -

Summary of Invention

5

10

This invention provides compounds of formula (I)

where n is 1 or 2-200

B is a protected or unprotected heterocyclic base capable of Watson-Crick or of Hoogsteen pairing,

R is H, C1-C12 alkyl, C6-C12 aralkyl or C6-C12 heteroaryl which may carry one or more substituents preferably selected from hydroxyl, carboxyl, amine, amide, thiol, thioether or phenol,

X is OH or OR' where R' is a protecting group or an activating group or a lipophilic group or an amino acid or amino amide or nucleoside,

Y is H or a protecting group or a lipophilic group or an amino

10

15


20

acyl group or nucleoside.

When n is 1, these compounds are peptide nucleotide analogues. When n is 2 to about 30 these compounds are peptide oligonucleotides, which are synthesised as described below and can be hybridised to ordinary oligo or polynucleotides. Typically the two strands are hybridised to one another in a 1:1 molar ratio by base-specific Watson-Crick base pairing.

B is a base capable of Watson-Crick or of Hoogsteen pairing. This may be a naturally occurring nucleobase selected from A,C,G,T and U; or a base analogue that may be base specific or degenerate, e.g. by having the ability to base pair with both pyrimidines (T/C) or both purines (A/G) or universal, by forming base pairs with each of the natural bases without discrimination. Many such base analogues are known, e.g. hypoxanthene, 3-nitropyrrole, 5-nitroindole, and those cited by Lin and Brown⁵ and all are envisaged for use in the present invention.

The compounds of formula (I) contain proline of undefined stereochemistry. Although compounds with the trans -stereochemistry may have interesting properties, compounds with the cis-stereochemistry are preferred either with the D-configuration as shown in (II) or the L-configuration shown in structure (III). In these compounds both stereoisomers of the "spacer amino acid" NHCHRCO are envisaged.



Provided that it does not sterically hinder chain extension of hybridisation, the group R could have diverse structures. The group, however, can be chosen to confer desired hydrophobic, hydrophilic and/or electrostatic properties on the molecule. When the group R is other than H it generates a chiral centre and the two stereoisomers may allow for discrimination in the hybridisation of DNA and RNA. When the amino acid (-NH-CHR-CO-) is a naturally occurring amino acid, then the amino acid should be readily and cheaply available as a building block for compounds of this invention. Any of the natural or unnatural α -amino acids could be used e.g. glycine or L- or D-serine or lysine. The nature of X can be varied from the negatively charged carboxylate ion (X=O) to the incorporation of a positively charged lysine residue. Examples of the latter are provided in the experimental section and can be used to prevent aggregation and to assist hybridisation to the negatively charged oligonucleotides. Y will most commonly be H but could be any group which might be useful to improve the physical or biological properties of the material.

10

15

20

25

Any one of B, R, X and Y may include a signal moiety, which may be for example a radioisotope, an isotope detectable by mass spectrometry or NMR, a hapten, a fluorescent group or a component of a chemiluminescent or fluorescent or chromogenic enzyme system. The signal moiety may be joined to the peptide nucleotide analogue either directly or through a linker chain of up to 30 atoms as well known in the field.

In another aspect the invention provides a method of making the peptide nucleotide analogue of formula (I), comprising the steps of:

- a) reacting an N-protected C-protected 4-hydroxy proline with a base selected from N_3 -protected thymine, N_6 -protected adenine, N_4 -protected cytosine, N_2 - O_6 -protected guanine and N_3 -protected uracil.
- b) deprotecting the proline amino group of the product of a),
- 30 c) reacting the product of b) with an N-protected amino acid,

- 5 -

- d) optionally removing protecting groups from the product of c).
 In another aspect the invention provides a method of
 converting a peptide nucleotide analogue of formula (I) in which n is 1 into
 a peptide oligonucleotide of formula (I) in which n is 2-200, comprising the
 steps of:
- i) providing a support carrying primary amine groups,
- ii) coupling an N-protected peptide nucleotide analogue of formula (I) to the support,
- iii) removing the N-terminal protecting group,
- 10 iv) coupling an N-protected nucleotide analogue of formula (I) to the thus-derivatised support,
 - v) repeating steps iii) and iv) one or more times, and
 - vi) optionally removing the resulting peptide oligonucleotide from the support.

The invention also provides a compound of formula (IV)

$$OR^2$$
 N
 B

(IV)

where R² is H or a protecting group,

R³ is H or a protecting group compatible with R², and B is a protected or unprotected heterocyclic base.

The invention also provides a compound of formula (V)

5

where R² is diphenylmethyl, and R³ is t-butoxycarbonyl.

Detailed Description

5

10

15

20

25

30

The (2R,4R) ("cis-D")-proline was chosen since this is analogous to the stereochemistry of deoxyribonucleotides. The lack of negative charge on the peptide backbone would be expected to lead to a higher affinity for complementary oligonucleotide sequences in nucleic acids. Moreover these novel peptide nucleic acids can also be modified easily by using different "spacer amino acids" to affect physical and biological properties such as solubility, cell permeability, etc. in order to achieve higher therapeutic activity. Such peptide nucleic acids should be stable to proteases since they contain substituted D-proline residues at alternate sites. Since coupling to secondary amino acids can be slow and inefficient, it was decided to use dipeptide building blocks in which the amino-acyl-proline bond is formed in solution as in dipeptide (1). In the alternative arrangement, i.e. prolyl-amino acid, there is likely to be a serious problem of racemisation during the coupling if the amino acid is chiral, whereas such racemisation is not expected when the C-terminus of the activated fragment is proline because N-acylprolines can not racemise by the oxazolone mechanism⁶.

Because of the mild conditions used for the deprotection of the N-Fmoc group, the Fmoc/O¹Bu strategy in solid phase peptide synthesis is favoured over the classical Boc/OBzl strategy⁷. Furthermore, most machine synthesisers capable of handling small scale synthesis (50 μmol or less) can accommodate only the Fmoc/O¹Bu strategy. For these reasons, it was decided to use the Fmoc instead of Boc as the N-protecting group.

There were two possible synthetic pathways to the target dipeptide (1), the two amino acids may be coupled first and the nucleobase

5

10

15

20

25

30

- 7 -

attached later by the Mitsunobu reaction or the nucleobase may be incorporated before the peptide coupling. The first approach has the advantage of being a more convergent approach. However, a preliminary investigation suggested that it is not satisfactory because of the extensive cleavage of the Fmoc group during the Mitsunobu reaction. It also seemed likely that displacement of tosylate by a nucleobase would give similar premature cleavage of the Fmoc group since the reactions require basic conditions.

A temporary N-protecting group for the hydroxyproline was required, therefore, which is stable to the basic conditions of the Mitsunobu reaction but which can be removed, without disturbing the carboxyl protecting group, in order to allow coupling with Fmoc-glycine (or other amino acid) to give the Fmoc-dipeptide (1). As the carboxyl protecting group must be selectively removed in the presence of the Fmoc group at the end of the synthesis, an acid-labile protecting group seemed appropriate. The combination of the acid labile Boc group and diphenylmethyl (Dpm) ester is ideal because introduction and cleavage of both groups are simple and high yielding. The Dpm ester is fully compatible with the *N*-Fmoc group and a selective cleavage of a Boc group in the presence of a diphenylmethyl ester is possible⁸.

Initial studies were undertaken with the commercially available *trans*-4-hydroxy-L-proline, which was protected as its *N*-Boc/Dpm ester derivative according to the method described by Tozuka and Takaya. The crystalline derivative (**2a**) was obtained in greater than 80 % yield in two steps.

The Mitsunobu reaction on (2a) with N_3 -benzoylthymine (BzT) gave the thymine derivative (3a), together with a less polar product, possibly the O_2 -isomer or the elimination product. Fortunately, the thymine derivative (3a) is crystalline and after column chromatography and one recrystallisation, the pure material was obtained in 51 % yield.

- 8 -

Deprotection of the *N*-Boc group of the protected thymine derivative (3a) was accomplished with methanolic HCI. The resulting amine salt was reacted with Fmoc-glycine pentafluorophenyl ester in the presence of diisopropylethylamine (DIEA) to give the protected dipeptide (4a) in excellent yield. Treatment of (4a) with trifluoroacetic acid, either as a neat liquid or in the presence of phenol or anisole as a scavenger, 10 at room temperature for a few hours led to the formation of roughly equal amounts of two products as shown by tlc and hplc, which could not be separated by crystallisation. The unexpected product, which was more polar than the desired product, was identified as the debenzoylated thymine derivative (5a). Since protection of thymine at N₃ was only required for selective alkylation at thymine-N₁, the debenzoylated thymine derivative (5a) was suitable for oligomer synthesis. However, attempts to completely remove the benzoyl group by prolonged treatment with trifluoroacetic acid resulted in a complex mixture. HBr in acetic acid gave better results. Brief treatment of the mixture of products from trifluoroacetic acid cleavage with 10 % HBr in acetic acid resulted in a complete cleavage of the benzoyl group as shown by hplc. The cleavage conditions have also been applied to the fully protected dipeptide (4a) without pre-treatment with trifluoroacetic acid with equal success. The synthesis of Fmoc-dipeptide bearing thymine at 4-position in the cis-L proline series is summarised in Scheme 1.

10

15

20

25

The protected *cis*- and *trans*-hydroxy-p-proline (**2b**) and (**2c**) were required for the preparation of the *trans*- and *cis*-p-proline dipeptides bearing nucleobases. The reaction of *N*-Boc-*cis*-4-hydroxy-p-proline with diphenyldiazomethane gave the Dpm ester (**2b**) in 90 % yield. Inversion of

15

20

25

the 4-OH group in (**2b**) to give (**2c**) was effected by the Mitsunobu reaction. By this route, (**2c**) was prepared in multigram quantities from (**2b**) in excellent yield (90 %, 2 steps) (**Scheme 2**). The specific rotation of the (**2c**) ($[\alpha]_D^{25}$ +53.0, c = 1.0, EtOH) when compared to that of the *trans*-L isomer ($[\alpha]_D^{25}$ -54.3, c = 1.0, EtOH) indicated that inversion was essentially complete.

The Mitsunobu reaction on the diastereomers, (**2b**) and (**2c**), with N_3 -benzoylthymine on a 20 mmol scale gave the products (**3b**) and (**3c**) in 33 and 36 % yield respectively. The Boc group in (**3b**) and (**3c**) was removed with methanolic HCl and the products treated with Fmoc-glycine pentafluorophenyl ester to give the protected dipeptides (**4b**) and (**4c**). After treatment with 10 % HBr in acetic acid the Fmoc-dipeptide acids (**5b**) and (**5c**) were obtained with concomitant cleavage of the N_3 -benzoyl group. The intermediate protected dipeptide (**4b**) and the final product (**5b**) were not crystallised as readily as their diastereomers (**4c**) and (**5c**). However, the purity of the crude Fmoc-dipeptide (**5b**) and (**5c**) was proved to be satisfactory by hplc.

The Fmoc-dipeptide (**5a**), (**5b**) and (**5c**) were prepared in gram-quantities for solid phase synthesis. Pentafluorophenyl esters of the diastereomeric thymine dipeptides (**6a**), (**6b**) and (**6c**) were all prepared by reactions of the free acids with pentafluorophenol in the presence of DCCI in dichloromethane.¹¹ These active esters were crystalline solids which were stable enough to permit purification by silica gel column chromatography and could be stored for several months at -20 °C without apparent decomposition according to ¹H nmr.

Binding studies between the 10mers derived from coupling of

WO 98/16550

15

20

25

(6a), (6b) and (6c), and poly(dA), showed that the oligomer derived from (6c) binds most strongly. The *cis*-D proline series was selected therefore for further investigation. The protected *cis*-hydroxy-D-proline (2b) was converted into the crystalline *trans*-D-tosylate (7) in 68 % yield by a
Mitsunobu reaction with methyl *p*-toluenesulfonate in the presence of triphenylphosphine and DEAD, according to the method of Peterson and Vince. ¹² Reactions of (7) and *N*₆-benzoyladenine in the presence of K₂CO₃ and a catalytic amount of 18-crown-6 in DMF afforded the *N*₉-isomer of Boc-D-Pro(*cis*-4-BzA)-ODpm (8) in 42 % yield. However, on scaling up, a small amount of another isomer (~ 5 %) was also isolated. This was probably the *N*₇-isomer according to the upfield ¹³C chemical shift of adenine C₅ (115.0 and 114.6 ppm, rotamers) relative to the major product (123.4 ppm)¹³.

Deprotection of the Boc group in (8) was first attempted by methanolic HCl as described previously for the thymine derivatives, however, less selectivity was achieved. However, p-toluenesulfonic acid in acetonitrile, which has been successfully applied to deprotect the N-Boc group during the synthesis of cephalosporin derivatives, ¹⁴ cleanly removed the Boc group without cleaving the Dpm ester. The product was reacted with Fmoc-glycine pentafluorophenyl ester to gave the Fmoc-dipeptide diphenylmethyl ester (9) in 85 % yield. Deprotection of the Dpm ester with trifluoroacetic acid in the presence of anisole gave the free acid which was directly converted into the pentafluorophenyl ester (10) by reacting with pentafluorophenol in the presence of DCCI. The N_6 -benzoyl group on adenine remained intact throughout the reaction sequence. Attempted purification of the highly polar pentafluorophenyl ester (10) by column

10

15

20

25

chromatography found only limited success. However, the crude product after trituration and washing with hexane, was shown by ¹H nmr to contain approximately 10 % of dicyclohexylurea (DCU) as the only contaminant, and was used successfully for solid phase peptide synthesis.

Reaction of the *trans*-p-tosylate (7) with N_4 -benzoylcytosine in the presence of $K_2CO_3/18$ -crown-6 in DMF gave the desired N_1 -isomer, Boc-p-Pro(cis-4- N_1 -BzC)-ODpm, (11) in 25 % yield along with the less polar O_2 -isomer in 41 % yield, which could be readily separated by chromatography on silica gel. The identity of the two isomers was further confirmed by the characteristic downfield shift of the 13 C resonance of C_4 of the O_2 -isomer compared to the N_1 -isomer. Since N_4 -benzoylcytosine was shown to be partially hydrolysed in hot 85 % acetic acid to give uracil, 15 the stability of this group towards acids was tested before attempting deprotection of the Boc group or the diphenylmethyl ester. The Boc-protected amino acid (11) was treated with trifluoroacetic acid in the presence of anisole for 2 h. 1 H nmr of the product showed that the Boc and Dpm groups were completely removed whereas the benzoyl group was stable thus demonstrating that the deprotection conditions were satisfactory.

Removal of the Boc group of (11) and reaction of the product with Fmoc-glycine pentafluorophenyl ester as described for the adenine analogue gave the protected cytosine dipeptide (12) in 70 % overall yield. The benzoylcytosine dipeptide and its pentafluorophenyl ester (13) were synthesised in essentially the same way as the thymine and adenine analogues.

The Mitsunobu reaction between N_2 -isobutyryl- O_6 -(4'-nitrophenylethyl)guanine¹⁶ and the protected *trans*-4-hydroxy-p-proline (**2c**)

- 12 -

gave the required product, but, could not be isolated free from diethyl hydrazinedicarboxylate. Treatment with DBU in pyridine to remove the O_6 -nitrophenylethyl protecting group followed by column chromatography, however, gave the pure N_9 -substituted isobutyrylguanine derivative (14) as a white solid in 43 % overall yield. Removal of the Boc group and reaction of the product with Fmoc-glycine pentafluorophenyl ester gave the protected guanine dipeptide (15) in 52 % yield. Removal of the carboxyl protecting group and reaction of the product with pentafluorophenol and DCCI gave the isobutyrylguanine dipeptide and its pentafluorophenyl ester (16).

10

15

20

25

A model synthesis was first carried out manually on the trans-D-proline analogue. The target was a T₁₀ cPNA: H-[Gly-D-Pro(trans-4-T)]₁₀-Lys-NH₂. The lysine amide was included at the C-terminus to prevent selfaggregation and to increase water solubility. An acid-labile dimethoxybenzhydrylamine Novasyn-TGR resin was chosen as the solid support since cleavage with trifluoroacetic acid leads directly to the peptide amide. The polyethyleneglycol matrix also improves the swelling properties of the resin and allows better access of the reagents to the growing peptide chain. The first lysine residue was introduced by coupling with Fmoc-Lys(Boc)-OPfp in the presence of HOBt. The peptide was synthesised from Fmoc-Gly-D-Pro(trans-4-T)-OH (5b), in the presence of HBTU/DIEA according to the standard protocol for Fmoc-solid phase synthesis.¹⁷ The efficiency of the coupling reactions, which was followed quantitatively after deprotection of the Fmoc group by measuring the absorbance of the dibenzoful vene-piperidine adduct ($\varepsilon_{264} = 18000$) liberated during deprotection, was not as good as expected despite the use of a large excess of reagents and prolonged reaction times.

Much better coupling was obtained by first converting (**5b**) into the pentafluorophenyl (Pfp) ester (**6b**) with DCCI and pentafluoro-

- 13 -

phenol, and then performing the coupling in the presence of HOBt. A possible reason for the low yield in the case of HBTU activation was that the activated monomer may have been lost by cyclisation to a diketopiperazine derivative. This is a very facile reaction for the active esters of protected or unprotected dipeptides which contain proline at the C-termini, especially in the presence of a base, for example, Z-Gly-Pro-ONp, is known to spontaneously cyclise under basic conditions. The pentafluorophenyl ester is less reactive than the *O*-acylisourea or HOBt ester formed during HBTU activation and the coupling does not require basic conditions, which probably explains the improved coupling.

5

10

15

20

The decathymine chiral peptide nucleic acids with different stereochemistry at proline (trans-D, cis-D and cis-L), i.e. H-[Gly-D-Pro(trans-4-T)]₁₀-Lys-NH₂, H-[Gly-D-Pro(trans-4-T)]₁₀-Lys-NH₂ were successfully prepared by successive coupling of the corresponding dipeptide pentafluorophenyl esters according to the protocol shown in **Scheme 3** on 5 μ mol scales. The syntheses were accomplished rapidly and efficiently. Total amounts of activated dipeptides required for each 5 μ mol synthesis of a decamer were approximately 150 mg. The chiral peptide nucleic acids were released from the resin and purified according to the standard protocol. In each case, analytical hplc of the crude products showed that they were 90-95 % pure.

The peptides were purified by reverse phase hplc and their identity confirmed by electrospray mass spectrometry (**Table 1**).

Interestingly, these higher oligomers showed an ability to form adducts with alkali metal ions especially potassium in the mass spectrometer, as evidenced by the presence of mass peaks at M+39n, where n is an integral number, in addition to the expected molecular ion peak. In some cases, these potassium ion adducts appeared as the major peaks in the mass spectra. All the T₁₀ chiral peptide nucleic acids were sufficiently soluble in

5

10

15

20

25

30

- 14 -

water for biological studies (>1 mg/mL at room temperature), although the *trans*-p-analogue was considerably more soluble than the other two.

Next the incorporation of different nucleobases into the chiral peptide nucleic acids was explored. The mixed adenine-thymine peptide nucleic acids of the trans-D and cis-L series were synthesised from the pentafluorophenyl esters without difficulty. However, attempts to remove the nucleobase protecting group (in this case, benzoyl) by treatment with aqueous ammonia under various conditions resulted in degradation of the peptide as shown by hplc. It seemed unlikely that the degradation resulted from direct hydrolysis or ammonolysis of the peptide bond, since the Gly-Pro and Pro-Gly bonds are stable to hot aqueous ammonia. Hplc and electrospray mass spectral analysis of the degradation products showed that they are the dipeptides Gly-Pro (or Pro-Gly) with the nucleobases remaining attached. This suggested that the degradation was probably caused by intramolecular attack by the amino group of the N-terminal glycine on the amide carbonyl of the next residue to release the bicyclic diketopiperazine, which could undergo further hydrolytic ring opening under the deprotection conditions to form the corresponding dipeptide observed in the mass spectrum. The process would be repeated until the entire peptide chain was degraded.

Understanding the mechanism of degradation made it possible to avoid this serious side reaction by modifying the N-terminus of the peptide nucleic acid in a way that would diminish the nucleophilicity of the amino groups. It was therefore decided to find another protecting group which could be removed under conditions compatible with the peptide, preferably without introducing additional steps. The Boc group was used as it is labile under the conditions for peptide cleavage from the resin but stable under the conditions necessary to deprotect the nucleobases on the solid support. This protection-deprotection scheme was tested by synthesising two mixed A-T sequences

10

15

20

25

 $H-[Gly-L-Pro(cis-4-T)]_2-[Gly-L-Pro(cis-4-A)-Gly-L-Pro(cis-4-T)]_2-Lys-NH_2$ and $H-[Gly-L-Pro(cis-4-T)]_{6}-[Gly-L-Pro(cis-4-A)-Gly-L-Pro(cis-4-T)]_{2}-Lys-NH_{2}$ The fully protected peptides were assembled on the solid support as usual and after the final removal of the N-Fmoc group, the free N-termini were capped with di-t-butyl dicarbonate (Boc₂O) in the presence of DIEA in DMF. A qualitative ninhydrin test indicated that the coupling was essentially complete. After flushing the reaction vessels with DMF, the resins were treated with 1:1 ethylenediamine-ethanol at room temperature overnight. This deprotection reagent has been used as a milder alternative to aqueous ammonia for the base labile methylphosphonate oligonucleotides. 19 The reagent was chosen here because the reaction could be carried out at room temperature and in the same vessel used for the peptide synthesis. Another advantage is that the resin swells better in this non-aqueous medium – swelling properties of the solid support are crucial for solid phase reactions. The relatively non-volatile ethylenediamine and benzamide derivative from the cleavage reactions were easily removed by flushing the reaction vessels with DMF. Final cleavage and purification were carried out according to the standard method. Reverse phase hplc analysis of the completely deprotected peptides showed clean single products in each case. The identity of the products was confirmed by mass spectrometry {H-[Gly-L-Pro(cis-4-T)]₂-[Gly-L-Pro(cis-4-A)-Gly-L-Pro(cis-4-T)]₂-Lys-NH₂: M_r calcd. 1832.84, found 1832.40±0.10; H-[Gly-L-Pro(cis-4-T)]₆-[Gly-L-Pro(cis-4-A)-Gly-L-Pro(cis-4-T)]₂-Lys-NH₂: M_r calcd. 2945.92, found 2945.32±0.14}.

The synthesis of chiral peptide nucleic acids incorporating all four natural nucleobases was undertaken next. The first model sequence synthesised was the tetramer H-Gly-D-Pro(*cis*-4-C)-Gly-D-Pro(*cis*-4-G)-Gly-D-Pro(*cis*-4-T)-Gly-D-Pro(*cis*-4-A)-Lys-NH₂. All the coupling was carried out under the conditions described for the oligothymine peptide nucleic acids.

The coupling efficiency was monitored by measuring the absorbance of dibenzofulvene-piperidine adduct from the deprotection step and showed that the guanine and cytosine could be introduced efficiently (> 90 % coupling yield, single coupling). The N-terminus of the resin bound peptide was then capped with the Boc group after removal of the last N-Fmoc group and then the resin was treated with concentrated aqueous ammoniadioxane 1:1 at 55 °C overnight to remove the nucleobase protecting groups. Ethylenediamine was avoided in this instance because it had been shown to cause modification of the cytosine residue in oligonucleotides by displacement of the exocyclic amino group with the aminoethylamino group.²⁰ Final deprotection of the Boc group and cleavage from the solid support was carried out according to the standard protocol. Reverse phase hplc analysis revealed a single major product which was shown to be the desired product by electrospray mass spectrometry {H-Gly-p-Pro(cis-4-C)-Gly-p-Pro(cis-4-G)-Gly-p-Pro(cis-4-T)-Gly-D-Pro(*cis*-4-A)-Lys-NH₂: M_r calcd. 1276.54, found 1277.00±0.07}.

A decamer mixed-base peptide nucleic acid, H-Gly-D-Pro(*cis*-4-G)-Gly-D-Pro(*cis*-4-T)-Gly-D-Pro(*cis*-4-A)-Gly-D-Pro(*cis*-4-G)-Gly-D-Pro(*cis*-4-C)-Gly-D-Pro(*cis*-4-A)-Gly-D-Pro(*cis*-4-C)-Gly-D-Pro(*cis*-4-C)-Gly-D-Pro(*cis*-4-C)-Gly-D-Pro(*cis*-4-T)-Lys-NH₂, was also synthesised by the standard protocol giving the product (M_r calcd. 2973.15, found 2974.80±0.35) in good yield and purity as judged by reverse phase hplc. The reverse phase hplc chromatogram and electrospray mass spectrum of the decamer are shown in **Fig. 1** and **Fig. 2**.

25

5

10

15

20

Hybridization studies

The deca-thymine glycyl-proline peptide nucleic acids with cis-L, trans-D and cis-D stereochemistry, and C-terminal L-lysinamide were mixed in 1:1 ratio with poly(rA) and poly(dA) in the presence of

10

15

20

25

150 mM NaCl and sodium phosphate buffer (10 mM Na⁺, pH 7.0) and the T_m determined (Figure 3). The cis-D- and cis-L-PNAs, but not the trans-D-PNA showed well defined single-transition melting curves with both poly(rA) and poly(dA). The magnitudes of absorbance change were of the order of 30-40 %. The T_m were as shown in Table 2.

The slightly higher T_m for the chiral peptide nucleic acid.poly(rA) complexes suggests that they are slightly more stable than the peptide nucleic acid.poly(dA) complexes. Although both cis-D and cis-L analogues gave melting curves with poly(dA) and poly(rA), only the cis-D analogue gave a well-defined melting curve with (dA)₁₀, with $T_m = 61^{\circ}$ C, under the same conditions. The cis-L analogue gave a broad melting curve with a T_m near room temperature. These results suggest that there is a stronger interaction between the cis-D analogue, which possessed the same absolute stereochemistry as natural oligonucleotides.

Further investigation of the nature of the *cis*-D peptide nucleic acid-oligonucleotide interaction was undertaken by determining the melting curve with (dT)₁₀. The 1:1 mixture with (dT)₁₀ showed no significant increase in absorbance at 260 nm on heating whereas the 1:1 mixture with (dA)₁₀ showed strong hyperchromicity (ca. 20 %) suggesting that the binding is probably specific for A.T pairs, presumably by Watson-Crick base pairing.

In order to determine the stoichiometry of the peptide nucleic acid-nucleic acid complexes, a titration experiment between cis-D-stereomer and poly(rA) was investigated. A well-defined mixing curve was obtained with minima at 1:1 ratio of peptide nucleic to nucleic acid in sodium phosphate buffer (10 mM Na⁺, pH 7.0) suggesting a 1:1 stoichiometry (Figure 4). A similar titration experiment with (dA)₁₀ under the same conditions gave essentially the same result.

All four bases found in DNA were introduced into the glycyl-

- 18 -

proline building units with the *cis*-D configuration and from these mixed cPNAs containing all four nucleobases have been made. The sequence GTAGATCACT, capped at its C-terminus with L-lysinamide was synthesised, and its binding properties with oligonucleotides investigated.

Since it is important to determine the preferred orientation of binding of these novel cPNAs to oligonucleotides, both of the possible complementary oligonucleotides were prepared, *i.e.* 5'-CATCTAGTGA-3' and 5'-AGTGATCTAC-3' and hybridised with the chiral PNA. Their Tm values were 47°C and 43°C respectively indicating that the N-terminus of the cPNA preferentially binds to the 5'-terminus of the oligonucleotide, and the C-terminus to the 3'-terminus of the oligonucleotide. This is known as the antiparallel mode of binding, but it is seen that the stability of the alternative parallel binding complex is only slightly less stable.

10

15

20

25

30

Following the promising results obtained on the binding studies of the cPNA with complementary oligonucleotides by T_m measurement, a ¹H NMR experiment was performed on the mixed sequence decamer, H-Gly-D-Pro(cis-4-G)-Gly-D-Pro(cis-4-T)-Gly-D-Pro(cis-4-A)-Gly-D-Pro(cis-4-G)-Gly-D-Pro(cis-4-A)-Gly-D-Pro(cis-4-T)-Gly-D-Pro(cis-4-C)-Gly-D-Pro(cis-4-A)-Gly-D-Pro(cis-4-C)-Gly-D-Pro(cis-4-T)-LysNH2, and its complementary oligonucleotides, both in parallel and antiparallel fashion. Unfortunately upon mixing the two components at the mmolar concentration required, a white precipitate formed immediately and no NMR signals could be observed apart from those of excess starting material. It is clear that even though the cPNA and the oligonucleotide alone are freely soluble in water, the complex formed between them is not at the high concentration required. In an attempt to overcome this problem it was decided to synthesise a cPNA analogue, containing a hydrophilic spacer amino acid - namely serine - in place of the glycine spacer in the backbone while retaining the cis-D-configuration of the proline moiety. As there are two enantiomers of serine and our preliminary molecular model

10

15

20

25

suggested that the stereochemistry of the spacer amino acid may have considerable effects on the binding strength of the resulting diastereomeric cPNAs with A- and B-forms of DNA, both enantiomers of serine were studied. Thus the target molecules were diastereomeric thymine-decamers H-[L-Ser-D-Pro(*cis*-4-T)]₁₀LysNH₂ ("LD-ST10") and H-[D-Ser-D-Pro(*cis*-4-T)]₁₀LysNH₂ ("DD-ST10").

The required Fmoc-protected dipeptide diastereoisomeric synthons (17) were synthesised from Boc-D-Pro(cis-4-N3BzT)-Odpm (3c) in an analogous manner to the glycylproline analogue. The serine hydroxyl side chain was protected as a t-butyl ether as in the traditional Fmoc-O^tBu orthogonal protection scheme. The Boc-group in the starting material was removed by p-TsOH in acetonitrile as described previously, the amine tosylate was then reacted with Fmoc-Ser(OtBu)-OH in the presence of DCCI and HOBt in MeCN/DMF, after neutralisation with DIEA. Both enantiomers of serine gave similar yields (70-90 %) of the desired protected dipeptides, Fmoc-L-Ser(O^tBu)-D-Pro-(cis-4-BzT)-ODpm and Fmoc-D-Ser(O^tBu)-D-Pro-(cis-4-BzT)-ODpm, which were isolated as white amorphous solids after column chromatography and were characterised by ¹H, ¹³ C NMR and APCI-MS. Deprotection of the ODpm ester of Fmoc-L-Ser(O^tBu)-D-Pro-(cis-4-BzT)-ODpm was found to be problematic since catalytic transfer hydrogenolysis using different hydrogen donors including ammonium formate, formic acid and cyclohexene and catalysts - Pd black, 10 % Pd/C, and freshly prepared 5 % Pd/BaSO, gave unsatisfactory results. Acidic conditions were an alternative, if selectivity between the Dpm ester and t-Bu ether could be achieved. Various combinations were attempted, but 4M HCl in dioxane appeared to give the best result. The deprotected material, consisting a mixture of the desired Fmoc-dipeptide acid and some debutylated product was subjected to a reaction with pentafluorophenol/DCCI to give the final active ester of the

5

10

15

20

25

Fmoc-dipeptide, which could be purified by column chromatography on silica gel (Scheme 4). The final products were obtained in a pure form and were characterised by ¹H NMR and APCI-MS. It should be noted that the benzoyl protecting group on the thymine ring remained intact throughout the reaction sequence but this should not be a problem since this benzoyl group is removed readily upon treatment with 20 % piperidine in DMF during deprotection of the Fmoc group in the solid phase synthesis step.

Solid phase synthesis of the two cPNA decamers, LD-ST10 and DD-ST10, were carried out according to our standard protocol on a 5 µmol scale and the efficiency of each coupling step was monitored by measuring the absorbance of the dibenzofulvene-piperidine adduct released from deprotection of the Fmoc group and this showed that the coupling proceeded efficiently (95-100 %). Both cPNA diastereomers could be purified to give the pure 10-mers by HPLC which gave correct masses by ESI-MS (3266, M-H+K, identical spectra for both isomers). The purified cPNAs, LD-ST10 and DD-ST10, were obtained in 28 and 16 % yield respectively. Both of the serine-containing cPNAs were freely soluble in water at a concentration of 2 mM.

A 1 H NMR study of a mixture of DD-ST10 and dA $_{10}$ was attempted. Initially the 1 H NMR spectra of both components were recorded separately (at a concentration of 0.53 mM for the DD-ST10 and 0.67 mM for the dA $_{10}$ in 10 % D $_2$ 0 in H $_2$ 0), which showed the expected resonances. On addition of 20 mol % of dA $_{10}$ (as a concentrated aqueous solution) to a solution of 0.5 mM of DD-ST10 in 10 % D $_2$ 0-H $_2$ 0, an immediate precipitation occurred, and it was clear that a structure of the complex in solution could not be determined.

- 21 -

Figure 1: Reverse phase hplc chromatogram of the crude decamer peptide nucleic acid H-Gly-D-Pro(cis-4-G)-Gly-D-Pro(cis-4-T)-Gly-D-Pro(cis-4-A)-Gly-D-Pro(cis-4-A)-Gly-D-Pro(cis-4-T)-Gly-D-Pro(cis-4-C)-Gly-D-Pro(cis-4-C)-

- Gly-D-Pro(cis-4-T)-Lys-NH2; Inset: Hplc chromatogram of the purified peptide nucleic acid under identical conditions; Hplc conditions: μBondapak C-18 reverse phase hplc column; solvents: A = 0.1% TFA in acetonitrile B = 0.1% aqueous TFA isocratic A:B 10:90; flow rate 1.5 ml/min; detection wavelength 260 nm.
- Figure 2: Electrospray mass spectrum of the purified peptide nucleic acid decamer H-Gly-D-Pro(cis-4-G) -Gly-D-Pro (cis-4-T) -Gly- D-Pro (cis-4-A) -Gly- D-Pro (cis-4-G) Gly- D-Pro (cis-4-A) -Gly-D-Pro(cis-4-T)-Gly-D-Pro(cis-4-C)-Gly-D-Pro(cis-4-A)-Gly-D-Pro(cis-4-C)-Gly-D-Pro(cis-4-T)-Lys-NH₂. The potassium adducts [M_r = 3012 (M+K⁺-H⁺) and 3051 (M+2K⁺-2H⁺)] were also observed in addition to the product (M_r = 2974).
 - Figure 3. The melting curves of the 1:1 hybrids of (a) H-[Gly-L-Pro(cis-4-T)]₁₀-Lys-NH₂, (b) H-[Gly-D-Pro(cis-4-T)]₁₀-Lys-NH₂, (c) H-[Gly-D-Pro(trans-4-T)]₁₀-Lys-NH₂ with poly(dA) at 150 mM NaCl, 10 mM sodium phosphate, pH 7.0 and (d) poly(dA) alone. The poly(dA) concentration was 10.8 μ M dA nucleotide. The melting curves were recorded at 260 nm and the rate of heating was 0.5°C/min.

Figure 4. (Titration of the chiral PNA H-[Gly-D-Pro(cis-4-T)]₁₀-Lys-NH₂ with poly(rA) at 20°C. Calculated amounts of poly(rA) in 10 mM sodium phosphate buffer pH 7.0 (0.282 mM rA nucleotide) were added to a solution of 16.5 μM H-[Gly-D-Pro(cis-4-T)]₁₀-Lys-NH₂ in the same buffer. The ratio of observed OD₂₆₀ to calculated OD₂₆₀ is plotted against % mol of H-[Gly-D-Pro(cis-4-T)]₁₀-Lys-NH₂.

25

20

5

- 22 -

Experimental

5

10

15

20

25

Melting points were recorded on a Kofler block apparatus and are quoted uncorrected. Specific rotations were measured on a Perkin-Elmer 241 polarimeter. IR spectra were recorded on a Perkin-Elmer 1750 Fourier Transform Infrared spectrometer. Elemental analyses were performed on a Carlo Erba CHN analyser model 1106.

Routine ¹H and ¹³C nmr spectra were recorded on a Varian Gemini 200 spectrometer operating at 200 MHz (¹H) and 50.28 MHz (¹³C). ¹³C spectra were recorded in broad band decoupled mode and the chemical shift assignment was assisted by a DEPT experiment performed on the Varian Gemini 200 spectrometer. High field ¹H nmr were recorded on a Bruker AMX 500 spectrometer (500 MHz). ¹⁹F nmr spectra were recorded on a Bruker AM 250 at 235.35 MHz. ¹H and ¹³C chemical shifts are quoted in ppm relative to tetramethylsilane and were internally referenced to the residual protonated solvent signal. ¹⁹F chemical shifts were externally referenced to CFCl₃ in CHCl₃.

Chemical ionisation and fast atom bombardment mass spectra were recorded on a VG 20-250 masslab and a VG Micromass ZAB-1F mass spectrometer. Electrospray mass spectra were recorded on a VG Biotech BioQ or VG Biotech Platform. Masses are quoted as m/z unless otherwise stated, only the molecular ions and major fragments being quoted.

Distilled water was used for all chemical experiments. Chemicals and solvents were obtained from Aldrich Chemical Company Ltd., Avocado Research Chemicals Ltd. and Lancaster Synthesis Ltd. and were purified according to the literature, ²¹ if necessary. *N*-Boc-*trans*-4-hydroxy-L-proline and Fmoc-glycine pentafluorophenyl ester were obtained from Calbiochem-Novabiochem Ltd. *p*-Toluenesulfonyl chloride was purified by recrystallisation from petroleum ether (b.p. 60-80°C). DMF was

peptide synthesis grade obtained from Rathburn Chemical Ltd. and was used without further purification except when strictly anhydrous conditions were required where it was re-distilled from calcium hydride under reduced pressure. Acetonitrile was hplc grade obtained from Rathburn and used without further purification. THF and dioxane were distilled from sodium wire/benzophenone under argon and stored over 4A molecular sieve. Pyridine was distilled from calcium hydride and stored over 4A molecular sieve. Moisture-sensitive reactions were performed under argon in flame-dried glassware.

10

15

20

25

5

N-tert-Butoxycarbonyl-trans-4-hydroxy-_L-proline diphenylmethyl ester (**2a**) and N-tert-butoxycarbonyl-cis-4-hydroxy-_D-proline diphenylmethyl ester (**2b**)

To a solution of freshly prepared diphenyldiazomethane²² (3.50 g, 18.0 mmol) in ethyl acetate (20 ml) was added N-Boc-trans-4hydroxy-L-proline (3.25 g, 14.0 mmol) in ethyl acetate (30 ml). Nitrogen gas was slowly evolved from the solution and the intense purple colour of diphenyldiazomethane was gradually discharged. The solution was stirred at room temperature overnight using a CaCl₂ guard tube. Evaporation of the solvent followed by precipitation of the product from ethyl acetatepetroleum ether b.p. 40-60 °C gave a white solid, N-tert-butoxycarbonyltrans-4-hydroxy-L-proline diphenylmethyl ester (2a), (5.10 g, 91 %), m.p. 93-95 °C (lit. 9 m.p. 103-104 °C), δ_{H} (200 MHz; CDCl₃) 1.22 and 1.47 (9H, 2xs, Boc rotamers), 1.95-2.50 [3H, br m, $CH_2(3)$ and OH_1 , 3.45-3.74 [2H, br m, $CH_2(5)$], 4.40-4.65 [2H, br m, CH(2) and CH(4)], 6.95 (1H, br s, $CHPh_2$), 7.25-7.55 (10H, br m, phenyl CH); v_{max} (KBr)/cm⁻¹ 3491br (O-H), 1728s (C=O ester), 1693s (C=O urethane); m/z (ES MS) 436 (M+K⁺, 55 %), 420 $(M+Na^+, 100), 415 (M+NH_4^+, 15), 398 (M+H^+, 72); [\alpha]_D^{25} -54.3 (c=1.0)$ EtOH).

10

15

20

25

The cis-D diastereoisomer was prepared similarly starting from N-Boc-cis-hydroxy-p-proline (11.6 g, 50.0 mmol) and diphenyldiazomethane (11.3 g, 58.0 mmol) in ethyl acetate (150 ml). Ntert-Butoxycarbonyl-cis-4-hydroxy-D-proline diphenylmethyl ester (2b) was obtained as a white solid after precipitation from ethyl acetate-petroleum ether b.p. 40-60 °C (17.9 g, 90 %) m.p. 102-105 °C, (Found C, 69.5; H, 6.8; N, 3.3 %; C₂₃H₂₇NO₅ requires C, 69.5; H, 6.8; N, 3.5 %), δ_H (200 MHz; CDCl₃) 1.26 and 1.30 (9H, 2xs, Boc rotamers), 2.08 and 2.35 [2H, m, $C_{H_2}(3)$], 2.88 and 3.09 (1H, 2xd, J=9.6 Hz, O_H rotamers), 3.57-3.66 [2H, br m, $CH_2(5)$], 4.32 [2H, m, CH(4)], 4.42-4.58 [1H, m, CH(2)] 6.91 and 6.99 (1H, 2xs, CHPh₂ rotamers), 7.25-7.48 (10H, br m, phenyl CH); $\delta_{\rm C}$ (50.28 MHz; CDCl₃) 28.0 and 28.3 (Boc $\underline{C}H_3$ rotamers), 37.6 and 38.6 [$\underline{C}H_2$ (3) rotamers], 55.4 and 55.9 [CH₂(5) rotamers], 58.0 and 58.1 [CH(2) rotamers], 70.1 and 71.2 [CH(4) rotamers], 78.1 and 78.6 (CHPh₂ rotamers), 80.4 and 80.6 (Boc C), 127.2-128.8 (phenyl CH rotamers). 139.6 and 139.8 (phenyl C rotamers), 154.1 (Boc <u>CO</u>), 174.0 (ester <u>CO</u>) rotamers); v_{max} (KBr)/cm⁻¹ 3466br (O-H), 1749s (C=O ester), 1687s (C=O urethane); $[\alpha]_D^{25}$ +41.2 (c=1.0, EtOH).

*N-tert-Butoxycarbonyl-trans-4-hydroxy-*_D-proline diphenylmethyl ester (**2c**) *N*-Boc-*cis*-hydroxy-D-proline diphenylmethyl ester (**2b**)(0.20 g, 0.50 mmol), triphenylphosphine (0.160 g, 0.60 mmol) and formic acid (25 μl , 0.65 mmol) were dissolved in dry THF (10 ml) and cooled in an ice bath. DEAD (100 μL, 0.60 mmol) was added dropwise. The reaction mixture was stirred under nitrogen at room temperature overnight. The solvent was evaporated and the residue was chromatographed on silica gel using dichloromethane:acetone 20:1 as eluant to give the 4-formate ester (R_f 0.50) as a colourless oil (0.248 g, quant.), $\delta_{\rm H}$ (200 MHz; CDCl₃) 1.25 and 1.47 (9H, 2xs, Boc rotamers), 2.10-2.55 [2H, br m, CH₂(3)], 3.57-

3.80 [2H, br m, C $\underline{H}_2(5)$], 4.48-4.64 [1H, m, C $\underline{H}(2)$], 5.35-5.43 [1H, br m, C $\underline{H}(4)$], 6.91 and 6.95 (1H, 2xs, C \underline{H} Ph₂ rotamers), 7.25-7.42 (10H, br m, phenyl C \underline{H}), 8.03 [1H, s, \underline{H} C(O)].

The oil was taken up in methanol (10 ml) and concentrated aqueous ammonia (d 0.880; 0.5 ml) was added. Tlc analysis indicated 5 complete reaction after stirring at room temperature for 1 h. The solvent was removed under reduced pressure and the residue chromatographed on silica gel column using diethyl ether as eluant to give the product (Rf 0.30) as a white foam (0.179 g, 90 % from 2b), which was further purified by reprecipitation from ethyl acetate-petroleum ether (b.p. 40-60 °C) to give 10 N-tert-butoxycarbonyl-trans-4-hydroxy-p-proline diphenylmethyl ester (2c) as a white solid, m.p. 105-108 °C, (Found C, 69.8; H, 6.9; N, 3.3 %; $C_{23}H_{27}NO_5$ requires C, 69.5; H, 6.8; N, 3.5 %), $\delta_H(200 \text{ MHz}; \text{CDCl}_3)$ 1.22 and 1.47 (9H, 2xs, Boc rotamers), 2.02 and 2.30 [2H, 2x br m, CH₂(3)], 2.70 and 2.82 (1H, 2xbr d, J=3.1 and 3.4 Hz, OH rotamers), 3.45-3.70 [2H, 15 br m, $CH_2(5)$], 4.42-4.65 [2H, br m, CH(2) and CH(4)], 6.90 and 6.95 (1H. 2xs, CHPh₂), 7.25-7.45 (10H, br m, phenyl CH); $\delta_{\rm C}$ (50.28 MHz; CDCl₃) 27.9 and 28.3 (Boc $\underline{C}H_3$ rotamers), 38.1 and 38.9 [$\underline{C}H_2$ (3) rotamers], 54.7 $[\underline{C}H_2(5)]$, 57.8 and 58.1 $[\underline{C}H(2)]$ rotamers, 69.2 and 70.0 $[\underline{C}H(4)]$ rotamers. 20 77.2 and 77.6 (CHPh₂ rotamers), 80.6 (Boc C), 127.1-128.8 (phenyl CH rotamers), 140.0 and 140.2 (phenyl C rotamers), 154.4 (Boc CO), 172.0 (ester CO); v_{max} (KBr)/cm⁻¹ 3491br (O-H), 1728s (C=O ester), 1693s (C=O urethane); $[\alpha]_D^{25}$ +53.0 (c=1.0, EtOH).

N-tert-Butoxycarbonyl-trans-4-(p-toluenesulfonyloxy)-p-proline diphenylmethyl ester (7)

A solution of *N*-Boc-*cis*-4-hydroxy-p-proline diphenylmethyl ester 2b) (6.40 g, 16.1 mmol), triphenylphosphine (4.50 g, 16.8 mmol) and methyl-*p*-toluenesulfonate (3.04 g, 16.4 mmol) in THF was treated with

WO 98/16550

10

15

20

25

DEAD (2.80 ml, 4.2 mmol) dropwise at -78 °C. The reaction was allowed to gradually warm to room temperature and the stirring continued overnight. Evaporation followed by column chromatography (SiO₂, diethyl ether, R_f 0.61) gave the crude product as an oil which was re-precipitated from diethyl ether-petroleum ether b.p. 40-60 °C to give the essentially pure product as a white solid (6.01 g, 68 %). Recrystallisation from ethyl acetate-petroleum ether (b.p. 40-60 °C) gave N-tert-butoxycarbonyl-trans-4-(p-toluenesulfonyloxy)-p-proline diphenylmethyl ester (7) as white crystals, m.p. 147-149 °C, (Found C, 65.2; H, 5.8; N, 2.4 %; C₃₀H₃₃NO₇S requires C, 65.3; H, 6.0; N, 2.5 %), δ_H (200 MHz; CDCl₃) 1.22 and 1.44 (9H, 2xs, Boc rotamers), 1.89-2.18 and 2.32-2.66 [2H, m, $C_{H_2}(3)$], 2.46 (3H, s, tosyl C \underline{H}_3), 3.54-3.74 [2H, m, C \underline{H}_2 (5)], 4.50 [1H, m, C \underline{H} (2)], 4.98 [1H, br m, CH(4)], 6.87 and 6.92 (1H, 2xs, CHPh₂ rotamers), 7.25-7.38 (12H, m, aromatic C<u>H</u>), 7.77 (2H, d, J= 8.2 Hz, tosyl C<u>H</u>); $\delta_{\rm C}$ (50.28 MHz; CDCl₃) 21.6 (tosyl CH₃), 27.9 and 28.2 (Boc CH₃ rotamers), 35.6 and 37.0 $[C_{H_2}(3)]$ rotamers], 51.8 and 52.1 $[C_{H_2}(5)]$ rotamers], 57.4 and 57.6 $[C_{H_2}(5)]$ rotamers], 78.3 and 78.9 [CH(4) rotamers], 78.2 and 78.7 (CHPh₂ rotamers), 80.7 and 80.9 (Boc C rotamers), 127.0-130.3 (aromatic CH), 133.5, 139.9 and 145.3 (aromatic <u>C</u>), 154.6 and 154.8 (Boc <u>C</u>O rotamers), 171.3 (ester <u>CO</u> rotamers); v_{max} (KBr)/cm⁻¹ 1742s (C=O ester), 1704 (C=O urethane), 1402s (-SO₂O-), 1174s (-SO₂O-).

N-tert-Butoxycarbonyl-4-(N_3 -benzoylthymin-1-yl)proline diphenylmethyl esters (3a), (3b) and (3c)

N-Boc-trans-4-hydroxy-L-proline diphenylmethyl ester (2a) (0.425 g, 1.07 mmol), triphenylphosphine (0.290 g, 1.10 mmol) and N_3 -benzoylthymine (0.250 g, 1.09 mmol) were dissolved in dry THF (10 ml) and the solution was cooled to -15 °C. DEAD (180 μ L, 1.10 mmol) was then added dropwise with stirring. The reaction mixture was stirred under

argon at room temperature overnight. The solvent was evaporated and the residue was chromatographed on silica gel using dichloromethane-acetone 20:1 as eluant to give N-tert-butoxycarbonyl-cis-4-(N3-benzoylthymin-1-yl)-L-proline diphenylmethyl ester (3a) (R_f 0.56), which was recrystallised from ethanol to give a white fluffy solid (0.310 g, 51 %), m.p. 183-185 °C. 5 (Found C, 68.9; H, 5.5; N, 6.7 %; C₃₅H₃₅N₃O₇ requires C, 69.0; H, 5.8; N, 6.9 %), δ_{H} (200 MHz; CDCl₃) 1.30 and 1.49 (9H, 2xbr s, Boc rotamers), 1.82 (3H, br s, thymine C_{H_3}), 2.05 and 2.85 [2H, br m, $C_{H_2}(3')$], 3.65 (1H, br m) and 4.02 (1H, dd, J=12.0, 8.0 Hz)[C $\underline{H}_2(5')$], 4.54 [1H, br m, C $\underline{H}(2')$], 5.26 [1H, br m, CH(4')], 6.94 (1H, s, $CHPh_2$), 7.12 and 7.18 [1H, 2xbr s, 10 CH(6) rotamers], 7.30-7.42 (10H, br m, phenyl CH(6)), 7.50 (2H, t, J=7.9 Hz, benzoyl m-CH), 7.67 (1H, t, J= 7.0 Hz, benzoyl p-CH), 7.92 (2H, d, J=7.0 Hz, benzoyl o-CH); δ_C (50.28 MHz; CDCl₃) 12.3 (thymine CH₃), 27.9 and 28.2 (Boc $\underline{C}H_3$ rotamers), 34.9 and 35.3 [$\underline{C}H_2(3')$ rotamers], 49.3 and 49.4 $[CH_2(5')]$ rotamers, 52.1 and 52.5 [CH(4')] rotamers, 57.5 $[CH_2(2')]$, 78.1 15 and 78.4 (CHPh₂ rotamers), 81.3 (Boc C), 111.7 [C(5)], 126.9-130.6 (aromatic <u>CH</u>), 131.6 (benzoyl <u>C</u>), 135.3 (benzoyl *p*-<u>CH</u>), 136.0 and 136.2 [CH(6) rotamers], 139.4 (phenyl C), 150.1 [C(2)], 153.6 (Boc CO), 162.6 [C(4)], 169.1 (benzoyl CO), 171.6 (ester CO); m/z (FAB+) 632 (M+Na⁺, 10 %), 610 (M+H $^{+}$, 39), 554 ([M-C₄H₈+H] $^{+}$, 27), 506 ([M-PhCO+H] $^{+}$, 18), 338 20 ([M-PhCO-Ph₂CH]⁺, 20), 266 (31), 231 (BzT+H⁺, 52), 167 (Ph₂CH⁺, 100), 105 (PhCO⁺, 24), 57 (C₄H₉⁺, 28); v_{max} (KBr)/cm⁻¹ 1751, 1694 and 1659 (C=O); $[\alpha]_D^{25}$ -17.2 (c=1.0, DMF).

N-tert-Butoxycarbonyl-trans-4-(N₃-benzoylthymin-1-yl)-p-proline diphenyl-methyl ester (**3b**) was similarly prepared starting from the *cis*-p alcohol (**2b**) (8.0 g, 20 mmol). The product was obtained as a white solid after column chromatography (SiO₂, dichloromethane-acetone 20:1) and trituration with

WO 98/16550

5

10

15

20

25

diethyl ether (4.20 g, 33 %). Recrystallisation from ethyl acetate-hexane gave an analytically pure sample as white crystals, m.p. 189-192 °C, (Found C, 68.9; H, 5.5; N, 6.7 %; C₃₅H₃₅N₃O₇ requires C, 69.0; H, 5.8; N, 6.9 %), δ_{H} (200 MHz; CDCl₃) 1.30 and 1.47 (9H, 2xs, Boc rotamers), 1.80 (3H, s, thymine C_{H_3}), 2.40 and 2.58 [2H, m, C_{H_2} (3')], 3.55-4.02 [2H, m, $C_{H_2}(5')$], 4.53-4.64 [1H, m, $C_{H_2}(5')$], 5.12 [1H, m, $C_{H_2}(4')$], 6.90 and 6.94 (1H, 2xs, CHPh₂ rotamers), 7.00 [1H, s, CH(6) rotamers], 7.35-7.45 (10H, br m, phenyl CH), 7.52 (2H, t, J=8.0 Hz, benzoyl m-CH), 7.69 (1H, t, J=7.2) Hz, benzoyl p-C \underline{H}), 7.94 (2H, J=7.2 Hz, benzoyl o-C \underline{H}); δ_{C} (50.28 MHz; $CDCl_3$) 12.6 (thymine <u>C</u>H₃), 27.9 and 28.2 (Boc <u>C</u>H₃ rotamers), 33.4 and 35.1 [CH₂(3') rotamers], 49.1 and 49.5 [CH₂(5') rotamers], 53.8 and 54.4 [CH(4') rotamers], 57.7 and 58.0 [CH₂(2') rotamers], 77.9 and 78.2 (CHPh₂) rotamers), 81.2 and 81.3 (Boc C rotamers), 111.9 [C(5)], 127.0-130.6 (aromatic <u>CH</u>), 131.6 (benzoyl <u>C</u>), 135.3 (benzoyl *p*-<u>CH</u>), 136.2 [<u>CH</u>(6)], 139.4 and 139.7 (phenyl C rotamers), 149.9 [C(2)], 153.6 (Boc CO), 162.7 [C(4)], 169.1 (benzoyl \underline{C} O), 171.0 (ester \underline{C} O); ν_{max} (KBr)/cm $^{-1}$ 1739s (C=O), 1703s (C=O), 1664s (C=O); $[\alpha]_D^{25}$ +11.3 (c=1.03, DMF).

*N-tert-Butoxycarbonyl-cis-4-(N*₃-benzoylthymin-1-yl)-D-proline diphenyl-methyl ester (**3c**) was similarly prepared starting from the *trans*-D alcohol (**2c**) (7.62 g, 19.2 mmol). The product was obtained as a white crystalline solid after column chromatography (SiO₂, dichloromethane-acetone 20:1) and recrystallisation from ethanol (4.20 g, 36 %), m.p. 183-186 °C, (Found C, 69.1; H, 5.8; N, 6.8 % C; $C_{35}H_{35}N_3O_7$ requires C, 69.0; H, 5.8; N, 6.9 %), δ_H (200 MHz; CDCl₃) 1.30 and 1.49 (9H, 2xbr s, Boc rotamers), 1.81 (3H, br s, thymine C_{H_3}), 2.04 and 2.86 [2H, 2xbr m, C_{H_2} (3')], 3.66 (1H, br m) and 4.02 (1H, dd, J=12.0, 8.0 Hz) [C_{H_2} (5')], 4.53 [1H, br m, C_{H_2} (2')], 5.26 [1H, br m, C_{H_2} (4')], 6.95 (1H, s, C_{H_2} Ph₂), 7.12 and 7.18 [1H, 2xbr s, C_{H_2} (6) rotamers], 7.30-7.44 (10H, br m, phenyl C_{H_2}), 7.50 (2H, t, J=7.9 Hz,

15

20

25

benzoyl m-C \underline{H}), 7.67 (1H, t, J= 7.0 Hz, benzoyl p-C \underline{H}), 7.92 (2H, d, J=7.0 Hz, benzoyl o-C \underline{H}); v_{max} (KBr)/cm⁻¹ 1751s (C=O), 1699s (C=O), 1661s (C=O); $[\alpha]_D^{25}$ +16.9 (c=1.03, DMF).

5 N-tert-butoxycarbonyl-cis-4-(N₆-benzoyladenin-9-yl)-p-proline diphenylmethyl ester (8)

A mixture of the trans-D tosylate (7) (0.552 g, 1.00 mmol), N_{6-} benzoyladenine (0.595 g, 2.50 mmol), anhydrous K₂CO₃ (0.700 g, 5.00 mmol) and 18-crown-6 (0.100 g) in DMF (5 ml) was stirred under argon at 80 °C overnight. The reaction mixture was diluted with dichloromethane (20 ml) and washed with water, dried (MgSO₄) and evaporated to give the crude product, which was purified by column chromatography (SiO2, 2.5 % methanol in dichloromethane, R_f 0.27) to give the product as a white foam (0.260 g, 42 %) which was spectroscopically pure. Further recrystallisation from ethanol-water gave an analytically pure N-tert-butoxycarbonyl-cis-4- $(N_6$ -benzoyladenin-9-yl)-D-proline diphenylmethyl ester (8) as colourless needles, m.p. 115-119 °C, (Found C, 65.9; H, 5.5; N, 13.1 %; $C_{35}H_{34}N_6O_5.H_2O$ requires C, 66.0; H, 5.7; N, 13.2 %), δ_H (200 MHz; CDCl₃) 1.31 and 1.49 (9H, 2xs, Boc rotamers), 2.52 and 2.90 [2H, 2xbr m, $C\underline{H}_2(3')$], 3.90-4.20 [2H, br m, $C\underline{H}_2(5')$], 4.52 and 4.63 [1H, 2xbr m, $C\underline{H}(2')$ rotamers], 5.14 [1H, br m, CH(4')], 6.83 (1H, s, CHPh₂), 7.15-7.28 (10H, m, phenyl C<u>H</u>), 7.35-7.60 (m, 3H, benzoyl *m-* and *p-*CH), 7.95-8.05 [3H, m, C<u>H</u>(8) and benzoyl o-C<u>H</u>], 8.68 [1H, s, C<u>H</u>(2)], 9.39 (1H, s, N<u>H</u>); $\delta_{\rm C}$ (50.28) MHz; CDCl₃) 28.0 and 28.2 (Boc CH₃ rotamers), 34.5 and 35.7 [CH₂(3') rotamers], 49.9 and 50.5 [CH₂(5') rotamers], 52.3 and 52.8 [CH(4') rotamers], 57.6 [CH(2')], 77.8 (CHPh₂), 81.3 (Boc C), 123.4 [C(5)], 127.0-129.0 (aromatic <u>C</u>H), 132.9 (aromatic <u>C</u>H), 133.9 (aromatic <u>C</u>), 139.4 and 139.5 (aromatic <u>C</u>), 141.5 [<u>C</u>H(8)], 149.8 [C(4)], 152.0 [C(6)], 152.7 $[\underline{C}H(2)]$, 153.6 and 154.0 (Boc $\underline{C}O$ rotamers), 165.1 (benzoyl $\underline{C}O$), 170.9

15

20

25

(ester <u>C</u>O); m/z (ES MS) 619 (M+H⁺, 100 %); v_{max} (KBr)/cm⁻¹ 1748 (C=O), 1697s (C=O); λ_{max} (CHCl₃)/ nm 285 (ϵ /dm³.mol⁻¹.cm⁻¹ 2.1x10⁴); [α]_D²⁵ +14.1 (c=0.63, CHCl₃).

5 N-tert-Butoxycarbonyl-cis-4-(N₄-benzoylcytosin-1-yl)-D-proline diphenylmethyl ester (**11**) and N-tert-butoxycarbonyl-cis-4-(4-benzoylaminopyrimidin-2-oxy)-D-proline diphenylmethyl ester

A reaction mixture containing the *trans-D* tosylate (7) (1.10g, 2.00 mmol), N₄-benzoylcytosine (0.475 g, 2.20 mmol), anhydrous K₂CO₃ (0.300 g, 2.20 mmol) and 18-crown-6 (200 mg) in DMF (10 ml) was stirred at 70-80 °C under argon overnight. The white suspension was diluted with dichloromethane (75 ml), filtered through celite and the organic phase washed with water. Evaporation gave the crude product as an oil which was purified by column chromatography (SiO₂, ethyl acetate). The more polar fractions (R_f 0.33) were combined and evaporated to give the N_1 isomer (0.299 g, 25%) as a white foam. Recrystallisation from ethanolwater gave white crystals of N-tert-butoxycarbonyl-cis-4-(N₄benzoylcytosin-1-yl)-p-proline diphenylmethyl ester (11), m.p. 133-135 °C, (Found C, 65.8; H, 6.5; N, 8.8 %; C₃₄H₃₄N₄O₆.C₂H₅OH.H₂O requires C, 65.6; H, 6.4; N, 8.5 %), δ_H (200 MHz; CDCl₃) 1.30 and 1.49 (9H, 2xs, Boc rotamers), 2.20 and 2.90 [2H, br m, CH₂(3')], 3.50-3.80 and 3.95-4.15 [2H, 2xbr m, $C_{H_2}(5')$], 4.45-4.70 [1H, br m, $C_{H_2}(5')$], 5.28 [1H, br m, $C_{H_2}(5')$], 6.87 (1H, s, CHPh₂), 7.15-7.40 (10H, m, phenyl CH), 7.40-7.75 [5H, m, CH(5), CH(6) and benzoyl m- and p-CH], 7.89 (2H, d, J=7.4 Hz, benzoyl o-CH), 8.83 (1H, br s, NH); $\delta_{\rm C}$ (50.28 MHz; CDCl₃) 27.7 and 28.0 (Boc <u>C</u>H₃) rotamers), 34.4 and 36.0 [CH₂(3') rotamers], 49.6 and 50.5 [CH₂(5') rotamers], 54.3 and 54.9 [CH(4') rotamers], 57.6 [CH(2')], 78.0 and 78.3 (CHPh₂ rotamers), 81.3 (Boc C), 96.8 [CH(5)], 127.0-129.2 (aromatic CH), 133.4 (benzoyl <u>C</u>), 139.5 (aromatic <u>C</u>), 145.2 and 145.7 [<u>C</u>H(6) rotamers],

153.8 (Boc <u>C</u>O rotamers), 155.6 [C(2)], 162.0 [C(4)], 166.8 (benzoyl <u>C</u>O), 171.3 (ester <u>C</u>O); m/z (ES MS) 595 (M+H⁺, 100 %); v_{max} (KBr)/cm⁻¹ 1743 (C=O), 1704s (C=O); λ_{max} (CHCl₃)/ nm 266 (ϵ /dm³.mol⁻¹.cm⁻¹ 8.9x10⁴), 312 (3.4x10⁴); [α]_D²³ -13.6 (c=0.50, CHCl₃).

5 The less polar fractions (R_f 0.61) were combined and rechromatographed (SiO₂, dichloromethane:acetone 10:1) to give the O₂isomer as a white foam (0.489 g, 41 %) which was recrystallised from ethanol to give colourless needles of N-tert-butoxycarbonyl-cis-4-(4benzoylaminopyrimidin-2-oxy)-p-proline diphenylmethyl ester m.p. 145-147 10 °C, (Found C, 68.6; H, 5.5; N, 9.4 %; C₃₄H₃₄N₄O₆ requires C, 68.7; H, 5.8; N, 9.4 %), δ_H (200 MHz; CDCl₃) 1.27 and 1.46 (9H, 2xs, Boc rotamers), 2.42 and 2.63 [2H, br m, $C_{H_2}(3')$], 3.60-4.20 [2H, br m, $C_{H_2}(5')$], 4.50 and 4.70 [1H, 2xm, CH(2')], 5.40 [1H, br m, CH(4')], 6.91 and 6.98 (1H, s, CHPh₂), 7.15-7.32 (10H, m, phenyl CH), 7.46-7.62 (3H, m, benzoyl *m*- and p-CH), 7.70-7.94 [3H, m, benzoyl o-CH and CH(5)], 8.37 [1H, d, J=5.7 Hz, 15 CH(6)], 8.67 (1H, br s, NH); δ_C (50.28 MHz; CDCl₃) 27.9 and 28.3 (Boc CH₃) rotamers), 35.1 and 36.0 [CH₂(3') rotamers], 51.7 and 52.1 [CH₂(5') rotamers], 57.6 and 57.9 [CH(2') rotamers], 74.1 and 75.2 [CH(4') rotamers], 77.3 and 77.5 (CHPh₂ rotamers), 80.2 and 80.4 (Boc C rotamers), 104.7 [CH(5)], 127.1-129.2 (aromatic CH), 133.1 and 133.4 20 (benzoyl C), 140.0-140.3 (aromatic C), 154.0 and 154.4 (Boc CO rotamers), 159.6 [C(2)], 160.5 [CH(6) rotamers], 163.8 [C(4)], 166.3 (benzoyl CO), 170.9 and 171.1 (ester CO); m/z (ES MS) 595 (M+H⁺, 100 %); v_{max} (KBr)/cm⁻¹ 1738s (C=O), 1687s (C=O).

25

N-tert-Butoxycarbonyl-cis-4-(N_2 -isobutyrylguanin-9-yl)-D-proline diphenyl-methyl ester (**14**)

To a stirred suspension of the *trans*-D alcohol (**2c**) (0.400 g, 1.00 mmol), N_2 -isobutyryl- O_6 -nitrophenylethylguanine (0.360 g, 1.00

mmol) and triphenylphosphine (0.294 g, 1.10 mmol) in anhydrous dioxane (10 ml) at room temperature was slowly added DEAD (182 µL, 1.10 mmol) under argon. Another two aliquots of DEAD (91 ml, 0.55 mmol each) were added during a period of 36 h. The resulting clear yellow solution was evaporated and the residue chromatographed (SiO₂, ethyl acetate, R_f 0.46) 5 to give the O_6 -nitrophenylethyl derivative as a white foam (0.634 g, contaminated with diethyl hydrazinedicarboxylate). This was dissolved in dry pyridine (5 ml) containing DBU (300 μL, 2.00 mmol) and the solution stirred at room temperature overnight under argon. The reaction mixture was diluted with dichloromethane and washed with 5 % HCl and water and 10 then evaporated to dryness. The residue was purified by column chromatography (SiO₂, ethyl acetate-methanol 20:1) to give the product as a white foam (0.258 g, 43 % from 2c). Recrystallisation from ethyl acetatepetroleum ether (b.p. 40-60 °C) gave N-tert-butoxycarbonyl-cis-4-(N₂isobutyrylguanin-9-yl)-p-proline diphenylmethyl ester (14) as a white 15 crystalline solid m.p. 140-145 °C, (Found C, 64.0; H, 5.7; N, 13.6 %; $C_{32}H_{36}N_6O_6$ requires C, 64.0; H, 6.0; N, 14.0 %), δ_H (200 MHz; CDCl₃) 1.18-1.41 [15H, m, Boc and $(C_{H_3})_2$ CH], 2.30 (1H, br m) and 2.75-2.95 (2H, br m) $[CH_2(3')]$ and $(CH_3)_2CH_1$, 3.78 and 4.05 [2H, br m, $CH_2(5')$], 4.45-4.63 [1H, 2xm, $C_{\underline{H}(2')}$], 4.90 [1H, br m, $C_{\underline{H}(4')}$], 6.77 and 6.80 (1H, s, $C_{\underline{H}}Ph_2$), 20 7.15-7.30 (10H, m, phenyl CH), 7.60 and 7.66 [1H, 2xs, CH(8)]; $\delta_{\rm C}$ (50.28 MHz; CDCl₃) 18.9 [($\underline{C}H_3$)₂CH], 27.9 and 28.2 (Boc $\underline{C}H_3$ rotamers), 35.8 $[\underline{C}H_2(3')]$, 50.2 and 50.7 $[\underline{C}H_2(5')]$ rotamers], 51.9 and 52.3 $[\underline{C}H(4')]$ rotamers], 57.6 [CH(2')], 60.4 [(CH₃)₂CH], 77.7 and 77.9 (CHPh₂ rotamers), 81.1 (Boc C), 121.1 [C(5)], 127.0-128.7 (aromatic CH), 137.2 [CH(8)], 25 139.5 (aromatic <u>C</u>), 148.2 and 149.1 [C(2)/C(6)], 153.6 and 154.2 (Boc <u>C</u>O rotamers), 156.1 [C(4)], 171.0 (ester CO), 180.5 (amide CO); m/z (ES MS) 601 (M+H $^+$, 100 %); λ_{max} (CHCl $_3$)/nm 255sh (ϵ /dm 3 .mol $^{-1}$.cm $^{-1}$ 1.5x10 4), 282 $(1.2x10^4)$; $[\alpha]_D^{23} +37.8$ (c=0.545, CHCl₃).

Procedure for selective deprotection of N-Boc group in diphenylmethyl esters (3a, 3b and 3c) and synthesis of N-Fmoc dipeptide diphenylmethyl esters (4a, 4b and 4c)

The Boc-protected monomer (3a, 3b, 3c) was dissolved in

THF (ca. 10 ml/mmol), saturated methanolic HCI (ca. 10 ml/mmol) was added and the solution was stirred at room temperature for 3-12 h. The solvents were removed under reduced pressure. The residue was taken up in dry dioxane and DIEA (ca. 2 eq excess) was added until the solution was slightly basic (pH 8) when applied to a piece of moist pH paper.

Fmoc-glycine pentafluorophenyl ester (1 eq. excess) was then added and the solution stirred at room temperature overnight. The reaction mixture

the solution stirred at room temperature overnight. The reaction mixture was evaporated to dryness and the residue purified by column chromatography (SiO₂, dichloromethane:acetone 10:1).

15 N-(N-Fluoren-9-ylmethoxycarbonylglycyl)-cis-4-(N₃-benzoylthymin-1-yl)-_Lproline diphenylmethyl ester (4a) was obtained as a white solid (99 %, starting from 5.8 mmol of 3a) after column chromatography. Recrystallisation from ethanol gave fine colourless needles, m.p. 201-204°C, (Found C, 71.5; H, 5.0; N, 7.0 %; C₄₇H₄₀N₄O₈ requires C, 71.6; H, 5.1; N, 7.0 %), δ_H (200 MHz; CDCl₃) 1.72 and 1.85 (3H, 2xs, thymine C \underline{H}_3 20 rotamers), 2.10, 2.45, 2.72 and 2.95 [2H, 4xm, CH₂(3') rotamers], 3.60-3.82 and 3.95-4.09 [4H, br m, $C_{H_2}(5')$ and Gly C_{H_2}], 4.25 (1H, t, J=7.1 Hz, Fmoc aliphatic CH), 4.40 (2H, d, J=7.1 Hz, Fmoc CH₂), 4.77 [1H, br m, CH(2') rotamers], 5.15 and 5.35 [1H, 2xm, CH(4') rotamers], 5.60 and 5.78 25 [1H, 2xbr m, Glycine NH rotamers], 6.86 and 6.93 (1H, 2xs, CHPh₂) rotamers), 6.96 and 7.11 [1H, 2xs, CH(6) rotamers], 7.25-7.95 (m, phenyl, Fmoc and benzoyl aromatic CH); $\delta_{\rm C}$ (50.28 MHz; CDCl₃) 12.1 (thymine \underline{CH}_3), 32.5 [$\underline{CH}_2(3')$ rotamers], 43.5 (Gly \underline{CH}_2), 47.0 (Fmoc aliphatic \underline{CH}_3), 48.5 [$\underline{C}H_2(5')$], 53.2 [$\underline{C}H(4')$], 57.8 [$\underline{C}H_2(2')$], 67.3 (Fmoc $\underline{C}H_2$), 78.7

WO 98/16550

- 34 -

(CHPh₂), 112.3 [C(5)], 120.1 (Fmoc aromatic CH), 125.5-131.8 (aromatic CH), 135.8 [CH(6)], 139.4 and 139.6 (phenyl C rotamers), 141.7 and 144.0 (Fmoc aromatic C), 150.0 [C(2)], 156.2 (Fmoc CO), 162.4 [C(4)], 167.8 (benzoyl CO), 168.9 (peptide CO), 170.8 (ester CO); m/z (FAB+) 811 (M+Na⁺, 21 %), 789 (M+H⁺, 5), 179 {[(C₆H₄)₂C=CH₂+H]⁺, 23}, 167 (Ph₂CH⁺, 100), 105 (PhCO⁺, 22); ν_{max} (KBr)/cm⁻¹ 1751s, 1737s, 1697 and 1657s (C=O); λ_{max} (CHCl₃)/nm 260 (ε/dm³.mol⁻¹.cm⁻¹, 3.1x10⁴); [α]_D²² -41.2 (c=0.50, CHCl₃).

N-(N-Fluoren-9-ylmethoxycarbonylglycyl)-trans-4-(N₃-benzoylthymin-1-yl)-10 D-proline diphenylmethyl ester (4b) was obtained as a white solid (85 %. starting from 5.3 mmol of 3b) after column chromatography. Recrystallisation from ethanol-water gave a white solid, m.p. 125-128 °C, (Found C, 71.4; H, 5.0; N, 6.6 %; C₄₇H₄₀N₄O₈ requires C, 71.6; H, 5.1; N, 7.1 %), δ_{H} (200 MHz; CDCl₃) 1.88 and 1.94 (3H, 2s, thymine CH₃ 15 rotamers), 2.30 and 2.60 [2H, br m, $CH_2(3')$ rotamers], 3.70-4.10 [4H, br m. $C_{H_2}(5')$ and Gly C_{H_2} , 4.22 (1H, t, J=7.1 Hz, Fmoc aliphatic C_{H_2}), 4.39 (2H, d, J=7.0 Hz, Fmoc C \underline{H}_2), 4.88 [1H, br m, C $\underline{H}(2')$], 5.13 [1H, br m, C $\underline{H}(4')$], 5.90 and 5.98 (1H, 2xbr m, Gly NH), 6.91 and 6.94 (1H, 2xs, CHPh₂ rotamers), 7.16 [1H, s, CH(6)], 7.29-8.00 (m, phenyl, benzoyl and Fmoc 20 aromatic CH); δ_C (50.28 MHz; CDCI₃) 12.4 (thymine CH₃), 32.0 [CH₂(3') rotamers], 43.2 and 43.4 (Gly CH₂ rotamers), 47.0 (Fmoc aliphatic CH), 48.3 [CH₂(5')], 55.2 and 55.3 [CH(4') rotamers], 57.9 [CH₂(2')], 67.3 (Fmoc CH_2), 78.6 and 79.3 ($CHPh_2$ rotamers), 112.0 [C(5)], 120.2 (Fmoc aromatic 25 C<u>H</u>), 125.4-131.6 (aromatic <u>C</u>H), 135.6 [<u>C</u>H(6)], 137.2 and 139.2 (phenyl C rotamers), 141.5 and 144.1 (Fmoc aromatic C), 150.0 [C(2)], 156.9 (Fmoc <u>CO</u>), 162.9 [C(4)], 168.4 (benzoyl <u>CO</u>), 169.4 (peptide <u>CO</u>), 170.1 and 170.5 (ester \underline{C} O); m/z (ES MS) 806 (M+NH₄⁺, 28 %), 789 (M+H⁺, 100); ν_{max} (KBr)/cm⁻¹ 1749, 1702 and 1660 (C=O).

5

10

15

20

25

N-(N-Fluoren-9-ylmethoxycarbonylglycyl)-cis-4-(N₃-benzoylthymin-1-yl)-p-proline diphenylmethyl ester (**4c**) was obtained as a white solid (98 %, starting from 5.7 mmol of **3c**) after column chromatography (R_f 0.30). Recrystallisation from ethanol-water gave colourless needles m.p. 201-203 °C (Found C, 72.4; H, 4.9; N, 7.2 %; C₄₇H₄₀N₄O₈ requires C, 71.6; H, 5.1; N, 7.1 %), $\delta_{\rm H}$ (200 MHz; CDCl₃) 1.71 and 1.83 (3H, 2xs, thymine CH₃ rotamers), 2.06, 2.42, 2.78 and 2.92 [2H, m, CH₂(3') rotamers], 3.60-3.82 and 3.90-4.10 [4H, br m, CH₂(5') and Gly CH₂], 4.23 (1H, t, *J*=7.0 Hz, Fmoc aliphatic CH), 4.39 (2H, d, *J*=7.1 Hz, Fmoc CH₂), 4.73 [1H, br m, CH(2') rotamers], 5.14 and 5.42 [1H, 2xm, CH(4') rotamers], 5.60 and 5.68 [1H, 2xbr m, Gly NH rotamers], 6.87 and 6.91 (1H, 2xs, CHPh₂ rotamers), 6.96 and 7.09 [1H, 2xs, CH(6) rotamers], 7.21-7.92 (m, phenyl, Fmoc and benzoyl aromatic CH); m/z (ES MS) 806 (M+NH₄⁺, 98 %), 789 (M+H⁺, 100); ν_{max} (KBr)/cm⁻¹ 1751, 1737, 1697 and 1657 (C=O); λ_{max} (CHCl₃)/nm 260 (ε/dm³.mol⁻¹.cm⁻¹, 3.4x10⁴); [α]_D²² +41.5 (c=0.50, CHCl₃).

Procedure for selective deprotection of N-Boc group in diphenylmethyl esters (8, 11 and 14) and synthesis of N-Fmoc dipeptide diphenylmethyl esters (9, 12and 15)

The Boc-protected monomer (8, 11, 14) and *p*-toluenesulfonic acid monohydrate (5 eq.) was dissolved in acetonitrile (*ca*. 5 ml/mmol) and the resulting solution was stirred at room temperature overnight. The solvent was removed under reduced pressure and the residue was dissolved in DMF (*ca*. 5-10 ml/mmol). DIEA (5 eq. excess) was added until the solution was slightly basic (pH ~ 8) when applied to a piece of moist pH paper followed by HOBt.H₂O (1.2 eq.) and Fmoc-glycine pentafluorophenyl ester (1.2 eq.) and the reaction mixture stirred at room

temperature overnight. The reaction mixture was diluted with dichloromethane and washed with saturated aqueous NaHCO₃ and water. Evaporation gave the crude product which was purified by column chromatography.

5

10

15

20

N-(N-Fluoren-9-ylmethoxycarbonylglycyl)-cis-4-(N₆-benzoyladenin-9-yl)-_Dproline diphenylmethyl ester (9) was obtained as a white foam (85 %, starting from 1.28 mmol of 8) after column chromatography (SiO₂, 10 % methanol in ethyl acetate), m.p. 130-133 °C, (Found C, 71.0; H, 4.8; N, 12.2 %; $C_{47}H_{39}N_7O_6$ requires C, 70.8; H, 4.9; N, 12.3 %), δ_H (200 MHz; CDCl₃) 2.58 and 2.83 [2H, 2xm, $CH_2(3')$], 3.78-4.40 [m, unresolved $CH_2(5')$, Gly C \underline{H}_2 , Fmoc aliphatic C \underline{H} and C \underline{H}_2], 4.78 [1H, m, C \underline{H} (2')], 5.05 and 5.28 [1H, 2xm, CH(4') rotamers], 6.13 (1H, br t, Gly NH), 6.76 (1H, 2xs, CHPh₂ rotamers), 7.20-7.75 (m, benzoyl m- and p-CH, phenyl and Fmoc aromatic CH), 7.96-8.00 (2H, d, *J*=7.1 Hz, benzoyl *o*-CH), 8.23 [1H, s, CH(8)], 8.70 [1H, s, CH(2)], 9.48 (1H, br s, benzamide NH); $\delta_{\rm C}$ (50.28 MHz; CDCl₃) 33.5 $[\underline{C}H_2(3')]$, 43.3 (Gly $\underline{C}H_2$), 47.0 (Fmoc aliphatic $\underline{C}H$), 49.4 $[\underline{C}H_2(5')]$, 53.2[<u>C</u>H(4')], 57.8 [<u>C</u>H(2')], 67.1 (Fmoc <u>C</u>H₂), 78.6 (<u>C</u>HPh₂), 120.1 (Fmoc aromatic <u>C</u>H), 123.5 [C(5)], 125.2-128.9 and 133.0 (aromatic <u>C</u>H), 133.8, 139.4 and 141.4 (aromatic C), 142.0 [CH(8)], 144.1 (aromatic C), 150.0 [C(4)], 152.1 [C(6)], 152.7 [CH(2)], 156.9 (Fmoc CO), 165.4 (benzoyl CO), 168.6 (Gly <u>C</u>O), 170.4 (ester <u>C</u>O); m/z (ES MS) 798 (M+H⁺, 100 %); v_{max} (KBr)/cm⁻¹ 1718 (C=O), 1668 (C=O); $[\alpha]_D^{22}$ +18.6 (c=0.21, CHCl₃).

25

N-(N-Fluoren-9-ylmethoxycarbonylglycyl)-cis-4-(N_4 -benzoylcytosin-1-yl)-D-proline diphenylmethyl ester (12) was obtained as a white foam (70 %, starting from 1.12 mmol of 11) after column chromatography (SiO₂, ethyl acetate-methanol 20:1). Recrystallisation from ethanol gave a white solid, m.p. 131-133 °C, (Found C, 71.2; H, 4.9; N, 9.0 %; $C_{46}H_{39}N_5O_7$ requires C,

- 37 -

71.4; H, 5.1; N, 9.0 %), δ_{H} (200 MHz; CDCl₃) 2.20 and 2.85 [2H, 2xm, CH₂(3')], 3.61-4.40 [m, unresolved CH₂(5'), Gly CH₂, Fmoc aliphatic CH and CH₂], 4.76-4.81 [1H, m, CH(2') rotamers], 5.22 and 5.41 [1H, 2xm, CH(4') rotamers], 6.03 and 6.12 (1H, 2xbr t, Gly NH rotamers), 6.78 (1H, br s, CHPh₂), 7.05-8.00 [m, CH(5), CH(6), benzoyl, phenyl and Fmoc aromatic CH], 9.32 (1H, br s, benzamide NH); δ_{C} (50.28 MHz; CDCl₃) 33.2 [CH₂(3')], 43.5 (Gly CH₂), 47.0 (Fmoc aliphatic CH), 49.2 [CH₂(5')], 55.5 [CH(4')], 57.8 [CH(2')], 67.1 (Fmoc CH₂), 78.6 (CHPh₂), 97.3 [CH(5)], 120.1 (Fmoc aromatic CH), 125.4-129.1 and 133.1 (aromatic CH), 133.3, 139.4 and 141.1 (aromatic C), 144.1 (aromatic C), 145.6 [CH(6)], 155.8 [C(2)], 156.7 (Fmoc CO), 162.6 and 163.0 [C(4) rotamers], 167.1 (benzoyl CO), 168.6 (Gly CO), 170.6 (ester CO); m/z (ES MS) 774 (M+H⁺, 100 %); ν_{max} (KBr)/cm⁻¹ 1750-1665br (C=O); [α]²² +20.9 (c=0.21, CHCl₃).

N-(N-Fluoren-9-ylmethoxycarbonylglycyl)-cis-4-(N₂-isobutyrylguanin-9-yl)-_D-15 proline diphenylmethyl ester (15) was obtained as a white solid (52 %, starting from 0.73 mmol of 14) after column chromatography (SiO₂, 10 % methanol in ethyl acetate). Recrystallisation from ethyl acetate-petroleum ether (b.p. 40-60 °C) gave a white crystalline solid, m.p. 145-150 °C. 20 (Found C, 68.0; H, 5.2; N, 12.0 %; $C_{44}H_{41}N_7O_7$ requires C, 67.8; H, 5.3; N, 12.6 %), δ_H (200 MHz; CDCl₃) 1.18 and 1.21 [6H, d, J=6.7 Hz, (C \underline{H}_3)₂CH], 2.31 (1H, br m) and 2.61-2.79 (2H, br m) $[CH_2(3')]$ and $(CH_3)_2CH_1$, 3.89-4.20 [m, unresolved $CH_2(5')$, Gly CH_2 and Fmoc aliphatic CH_1 , 4.37 (2H, d, J=6.7 Hz, Fmoc C \underline{H}_2), 4.63 [1H, m, C $\underline{H}(2')$], 4.82 [1H, m, C $\underline{H}(4')$], 6.10 (1H, br m, Gly NH), 6.77 (1H, s, CHPh₂), 7.12-7.36 (m, phenyl and Fmoc 25 aromatic CH), 7.49-7.57 [3H, m, Fmoc aromatic CH and CH(8)], 7.69-7.73 (2H, d, J=7.4 Hz, Fmoc aromatic CH), 9.83 (1H, br s, isobutyramide NH); $\delta_{\rm C}$ (50.28 MHz; CDCl₃) 18.9 [($\underline{\rm C}$ H₃)₂CH], 35.7 [$\underline{\rm C}$ H₂(3')], 42.9 (Gly $\underline{\rm C}$ H₂), 46.5 (Fmoc <u>CH</u>), 49.0 [<u>CH</u>₂(5')], 52.9 [<u>C</u>H(4')], 57.7 [<u>C</u>H(2')], 66.9 (Fmoc

 $\underline{C}H_2$), 78.3 ($\underline{C}HPh_2$), 120.1 (Fmoc aromatic $\underline{C}H$), 120.9 [C(5)], 125.2-128.8 (Fmoc aromatic $\underline{C}H$), 137.5 [$\underline{C}H(8)$], 139.4 and 139.6 (aromatic \underline{C}), 144.0 (aromatic \underline{C}), 148.3 and 148.8 [C(2)/C(6)], 155.8 [C(4)], 157.2 (Fmoc $\underline{C}O$), 169.0 (Gly $\underline{C}O$), 170.2 (ester $\underline{C}O$), 180.6 (isobutyramide $\underline{C}O$); m/z (ES MS) 780 (M+H⁺, 100 %); λ_{max} (CHCl₃)/nm 270sh (ε/dm³.mol⁻¹.cm⁻¹, 11.9x10⁴); [α]_D²³ +36.7 (c=0.645, CHCl₃).

N-(N-Fluoren-9-ylmethoxycarbonylglycyl)-4-(thymin-1-yl)prolines (5a), (5b) and (5c)

The protected dipeptide (**4a**, **4b** or **4c**) was treated with 10 % HBr in acetic acid (5-10 ml/mmol) at room temperature for 1 h. The volatiles were evaporated under reduced pressure, the residue was triturated with diethyl ether and then washed with methanol-diethyl ether.

15 *N-(N-Fluoren-9-ylmethoxycarbonylglycyl)-cis-4-(thymin-1-yl)-L-proline* (**5a**) was obtained as a white solid (50 %, starting from 2.5 mmol of 4a). Recrystallisation from ethanol-water gave a white solid, m.p.>200 °C. (Found C, 62.5; H, 5.1; N, 10.6 %; C₂₇H₂₆N₄O₇ requires C, 62.5; H, 5.1; N, 10.8 %), $\delta_{\rm H}$ (200 MHz; DMSO- d_6) 1.75 (3H, br s, thymine C $\underline{\rm H}_3$), 2.00-2.35 [2H, br m, $CH_2(3')$ rotamers], 3.30-4.00 [br m, $CH_2(5')$ and Gly $CH_2(5')$ 20 obscured by the water signal], 4.15-4.30 (3H, br m, Fmoc aliphatic CH and CH₂), 4.50-4.65 [1H, br m, CH(2') rotamers], 4.80-4.85 and 4.95-5.05 [1H, br m, CH(4') rotamers], 7.25-7.45 (4H, m, Fmoc aromatic CH), 7.52 [1H, br s, C<u>H</u>(6) rotamers], 7.70 and 7.85 (4H, 2xd, *J*=7.1 Hz, Fmoc aromatic C<u>H</u>); m/z (FAB) 541 (M+Na⁺, 9 %), 179 { $[(C_6H_4)_2C=CH_2.H]^+$, 81}, 165 (32), 119 25 (30), 103 (44), 85 (83), 77(32), 59 (85), 47(100); v_{max} (KBr)/cm⁻¹ 1731 (C=O), 1703s (C=O), 1678 (C=O); $[\alpha]_D^{23}$ -4.13 (c=0.63, DMF).

N-(*N*-Fluoren-9-ylmethoxycarbonylglycyl)-*trans*-4-(thymin-1-yl)-_D-proline (**5b**) was obtained as a white solid (57 %, starting from 5.3 mmol of **4b**) m.p.>200 °C, $\delta_{\rm H}$ (200 MHz; DMSO- $d_{\rm 6}$) 1.70 (3H, br s, thymine CH₃), 2.05-2.15 and 2.40-2.60 [br m, CH₂(3') rotamers, obscured by the DMSO signal], 3.50-4.00 [br m, CH₂(5') and Gly CH₂], 4.15-4.30 (3H, br m, Fmoc aliphatic CH and CH₂), 4.35-4.45 and 4.75-4.85 [1H, br m, CH(2') rotamers], 4.90-5.00 and 5.05-5.10 [1H, m, CH(4') rotamers], 7.25-7.45 (4H, m, Fmoc aromatic CH), 7.55 [1H, br s, CH(6)], 7.68 (4H, 2xd, *J*=7.1 Hz, Fmoc aromatic CH); m/z (FAB) 519 (M+H⁺, 6 %), 179 {[(C₆H₄)₂C=CH₂.H]⁺, 34}, 85 (100), 59 (23), 47 (32).

N-(*N*-Fluoren-9-ylmethoxycarbonylglycyl)-*cis*-4-(thymin-1-yl)-_D-proline (**5c**) was obtained as a white solid (42 %, starting from 6.8 mmol of **4c**), m.p.>200 °C, $\delta_{\rm H}$ (200 MHz; DMSO- $d_{\rm 6}$) 1.75 (3H, br s, thymine C_{H₃}), 2.11 and 2.52 [2H, 2xbr m, C_{H₂}(3') rotamers], 3.50-4.00 [br m, C_{H₂}(5') and Gly C_{H₂}], 4.18-4.30 [4H, br m, C_H(2') and Fmoc aliphatic C_H and C_{H₂}], 4.73 and 4.98 [1H, 2xbr m, C_H(4') rotamers], 7.28-7.41 (4H, m, Fmoc aromatic C_H), 7.51 (1H, m, Gly N_H), 7.54 [1H, br s, C_H(6) rotamers], 7.72 and 7.88 (4H, 2xd, *J*=7.1 Hz, Fmoc aromatic C_H); m/z (FAB) 541 (M+Na⁺, 2%), 519 (M+H⁺, 5), 179 (33), 103 (17), 85 (100), 77(18), 59 (43), 47(45); [α]_D²³ +4.26 (c=0.61, DMF).

15

20

25

N-(N-Fluoren-9-ylmethoxycarbonylglycyl)-4-(thymin-1-yl)proline pentafluorophenyl esters (**6a**), (**6b**) and (**6c**)

A suspension of the Fmoc-dipeptide (**5a**, **5b** or **5c**) (1.0 mmol), pentafluorophenol (1.1 mmol) and dicyclohexylcarbodiimide (1.1 mmol) in dichloromethane (5 ml) was stirred at room temperature for 2-3 h. The precipitated dicyclohexylurea was filtered off and washed with dichloromethane. Evaporation of the filtrate followed by column

WO 98/16550

chromatography (SiO₂, ethyl acetate) gave the product as white foam which in most cases could be made crystalline by trituration with etherpetroleum ether, filtered and air dried.

- 5 N-(N-Fluoren-9-ylmethoxycarbonylglycyl)-cis-4-(thymin-1-yl)-L-proline pentafluorophenyl ester (6a) was obtained from (5a) as a white solid (0.574 g, 84 %), m.p. 124-126 °C, δ_H (200 MHz; CDCl₃) 1.94 (3H, s, thymine C \underline{H}_3), 2.26-2.42 and 2.85-3.00 [2H, m, $C_{H_2}(3')$], 3.66-3.75 and 3.95-4.26 [m, unresolved $CH_2(5')$, Gly CH_2 , Fmoc aliphatic CH_1 , 4.38-4.42 (2H, d, J=7.1Hz, Fmoc C \underline{H}_2), 4.85-4.93 [1H, m, C \underline{H} (2')], 5.34-5.42 [1H, m, C \underline{H} (4')], 5.80-10 5.82 (1H, br t, Gly NH), 7.10 [1H, s, CH(6)], 7.31-7.44, 7.60-7.63 and 7.75-7.79 (8H, m, Fmoc aromatic CH), 9.50 (1H, s, thymine NH); $\delta_{\rm F}$ (235.35 MHz; CDCl₃) -162.0 (dd, J=18.1, 21.4 Hz) and -161.2 (t, J=19.6 Hz) (m-F major and minor rotamers), -157.0 (t, J=21.8 Hz) and -156.2 (t, J=21.7 Hz) 15 (ρ -F major and minor rotamers), -153.1 (d, J=18.5 Hz) and -152.8 (d, *J*=17.7 Hz) (o-F minor and major rotamers). The ratio of major:minor rotamers was ca. 15:1; m/z (ES MS) 685.1 (M+H⁺, 100 %); v_{max} (KBr)/cm⁻¹ 1801 (C=O), 1675br (C=O); $[\alpha]_D^{23}$ -15.9 (c=0.630, CHCl₃);
- N-(N-Fluoren-9-ylmethoxycarbonylglycyl)-*trans*-4-(thymin-1-yl)-p-proline pentafluorophenyl ester (**6b**) was obtained from (**5b**) as a white solid (0.400 g, 58 %), m.p. 115-124 °C, $\delta_{\rm H}$ (200 MHz; CDCl₃) 1.94 (3H, s, thymine CH₃), 2.49-2.61 and 2.79-2.95 [2H, m, CH₂(3')], 3.79-4.13 [4H, m, CH₂(5') and Gly CH₂], 4.22 (1H, t, *J*=6.7 Hz, Fmoc aliphatic CH) 4.37-4.41 (2H, d, *J*=7.1 Hz, Fmoc CH₂), 5.04-5.18 [2H, m, CH(2') and CH(4')], 5.78-5.82 (1H, br t, Gly NH), 7.00 and 7.02 [1H, 2xs, CH(6) rotamers], 7.27-7.44, 7.58-7.61 and 7.74-7.78 (8H, m, Fmoc aromatic CH), 9.17 and 9.21 (1H, 2xs, thymine NH rotamers); $\delta_{\rm F}$ (235.35 MHz; CDCl₃) -162.1 (t, *J*=19.3 Hz) and -161.4 (t, *J*=21.8 Hz) (*m*-F major and minor rotamers), -157.2 (t,

J=22.5 Hz) and -156.3 (t, J=19.4 Hz) (p-F major and minor rotamers), -153.3 (d, J=19.5 Hz) and -153.0 (d, J=20.0 Hz) (o-F minor and major rotamers); v_{max} (KBr)/cm⁻¹ 1797 (C=O), 1679br (C=O); [α]_D²³ +30.0 (c=0.73, CHCl₃).

5

10

15

WO 98/16550

N-(*N*-Fluoren-9-ylmethoxycarbonylglycyl)-*cis*-4-(thymin-1-yl)-_D-proline pentafluorophenyl ester (**6c**) was obtained from (**5c**) as a white solid (0.520 g, 76 %), m.p. 122-126 °C, δ_H (200 MHz; CDCl₃) 1.94 (3H, s, thymine CH₃), 2.26-2.42 and 2.85-3.00 [2H, m, CH₂(3')], 3.66-3.75 and 3.95-4.26 [5H, m, CH₂(5'), Gly CH₂ and Fmoc aliphatic CH], 4.38-4.42 (2H, d, *J*=7.1 Hz, Fmoc CH₂), 4.85-4.93 [1H, m, CH(2')], 5.34-5.42 [1H, m, CH(4')], 5.80-5.82 (1H, br t, Gly NH), 7.10 [1H, s, CH(6)], 7.31-7.44, 7.60-7.63 and 7.75-7.79 (8H, m, Fmoc aromatic CH), 9.50 (1H, s, thymine NH); δ_F (235.35 MHz; CDCl₃) -162.0 (dd, *J*=18.1, 21.4 Hz) and -161.2 (t, *J*=19.6 Hz) (*m*-F major and minor rotamers), -157.0 (t, *J*=21.8 Hz) and -156.2 (t, *J*=21.7 Hz) (*p*-F major and minor rotamers), -153.1 (d, *J*=18.5 Hz) and -152.8 (d, *J*=17.7 Hz) (*o*-F minor and major rotamers). The ratio of major:minor rotamers was *ca.* 15:1; ν_{max} (KBr)/cm⁻¹ 1800 (C=O), 1683br (C=O); [α]_D²³ +16.3 (c=0.645, CHCl₃).

20

25

Procedure for deprotection of diphenylmethyl esters and synthesis of Fmoc-dipeptide pentaflurophenyl esters (10, 13 and 16)

The Fmoc dipeptide diphenylmethyl ester (9, 12 or 15) was treated with trifluoroacetic acid (*ca.* 5-10 ml/mmol) containing anisole (50 μL/ml TFA) for 2-3 h. The volatiles were evaporated under reduced pressure and the residue was triturated and washed with diethyl ether. The free acid was obtained as a white solid in nearly quantitative yield after drying over NaOH pellets *in vacuo*. This was dissolved in 1:1 DMF:dichloromethane (5 ml/mmol) and pentafluorophenol (1.5 eq.) and

PCT/GB97/02820

DCCI (1.5 eq.) was added with stirring at room temperature. The reaction mixture was stirred at room temperature for 1-3 h (tlc). The DCU precipitate was filtered off and washed with dichloromethane. The combined organic phase was washed with water, dried (MgSO₄) and evaporated under reduced pressure. The residue was triturated with diethyl ether:petroleum ether 40-60 °C or re-precipitated from suitable solvents to give the product which contained a trace of DCU (~10 %) as the only impurity according to ¹H nmr but was pure enough for solid phase synthesis.

- 42 -

10

15

20

25

N-(*N*-Fluoren-9-ylmethoxycarbonylglycyl)-*cis*-4-(*N*₆-benzoyladenin-9-yl)-D-proline pentafluorophenyl ester (**10**) was obtained as a white solid (83 %, starting from 0.5 mmol of **9**), m.p. 125-130 °C, $\delta_{\rm H}$ (200 MHz; CDCl₃) 2.86-3.02 and 3.10-3.24 [2H, m, CH₂(3')], 3.98-4.42 [7H, m, CH₂(5'), Gly CH₂ and Fmoc aliphatic CH and CH₂], 4.97-5.06 [1H, t, *J*= 8.5 Hz, CH(2')], 5.31-5.42 [1H, m, CH(4')], 5.70-5.74 (1H, br t, *J*= 3.8 Hz, Gly NH), 7.27-7.79 (11H, m, Fmoc aromatic CH and benzoyl *m*- and *p*-CH), 8.02-8.06 (2H, d, *J*=6.7 Hz, benzoyl *o*-CH), 8.13 [1H, s, CH(8)], 8.80 [1H, s, CH(2)], 9.00 (1H, br s, benzamide NH); m/z (ES MS) 798 (M+H⁺, 100 %); $\nu_{\rm max}$ (KBr)/cm⁻¹ 1798 (C=O), 1671br (C=O).

N-(*N*-Fluoren-9-ylmethoxycarbonylglycyl)-*cis*-4-(*N*₄-benzoylcytosin-1-yl)-D-proline pentafluorophenyl ester (**13**) was obtained as a white solid (81 %, starting from 0.17 mmol of **12**), m.p. 133-137 °C, $\delta_{\rm H}$ (200 MHz; CDCl₃) 2.46-2.60 and 290-3.12 [2H, m, CH₂(3')], 3.80-4.43 [7H, m, CH₂(5'), Gly CH₂ and Fmoc aliphatic CH and CH₂], 4.93-5.01 [1H, t, *J*= 7.7 Hz, CH(2')], 5.41-5.49 [1H, m, CH(4')], 5.72-5.78 (1H, br t, *J*= 4.5 Hz, Gly NH), 7.27-7.79 [m, CH(6), CH(5), Fmoc aromatic CH and benzoyl CH], 7.90 (1H, br s, benzamide NH); $\delta_{\rm F}$ (235.35 MHz; CDCl₃) -162.0 (t, *J*=21.1 Hz) and -161.3

WO 98/16550

20

25

(t, J=19.1 Hz) (m-F major and minor rotamers), -157.2 (t, J=19.4 Hz) and -156.4 (t) (p-F major and minor rotamers), -152.6 (d, J=20.0 Hz) (o-F); m/z (ES MS) 774 (M+H⁺, 100 %); v_{max} (KBr)/cm⁻¹ 1797 (C=O), 1669 (C=O).

N-(N-Fluoren-9-ylmethoxycarbonylglycyl)-*cis*-4-(N₂-isobutyrylguanin-9-yl)-D-proline pentafluorophenyl ester (16) was obtained as a white solid (63 %, starting from 0.16 mmol of 15), m.p. 146-150 °C, δ_H (200 MHz; CDCl₃)
 1.22-1.27 [6H, 2xd, *J*=6.9 Hz, (CH₃)₂CH], 2.60-2.82 and 2.97-3.12 [3H, m, CH₂(3') and (CH₃)₂CH], 4.08-4.30 [5H, m, CH₂(5'), Gly CH₂ and Fmoc aliphatic CH], 4.37-4.41 (2H, d, *J*=7.2 Hz, Fmoc CH₂), 4.85-4.94 [1H, t, *J*=8.3 Hz, CH(2')], 4.99-5.06 [1H, m, CH(4')], 5.79-5.84 (1H, br t, *J*=4.5 Hz, Gly NH), 7.27-7.44 (4H, m, Fmoc aromatic CH), 7.56-7.60 (2H, d, *J*=7.4 Hz, Fmoc aromatic CH), 7.67 [1H, s, CH(8)], 7.74-7.78 (2H, d, *J*=7.4 Hz, Fmoc aromatic CH), 8.95 (1H, s, isobutyramide NH); m/z (ES MS) 780
 (M+H⁺, 100 %); v_{max} (KBr)/cm⁻¹ 1798 (C=O), 1680br (C=O).

NovasynTM TGR resin (~0.23 mmol free NH₂ group/g) (Fmoc/O^tBu strategy), were obtained from Calbiochem-Novabiochem Ltd. The protected amino acids and derivatives and the coupling reagents (HBTU, PyBrop) were also obtained from the same source. Trifluoroacetic acid (98 %) was obtained from Avocado Research Chemicals Ltd. All other reagents were obtained at highest purity grade available either from Aldrich Chemical Company Ltd. or Lancaster Synthesis Ltd. and were used as received. Reagents for the Kaiser test were prepared according to the literature.²³

DMF was peptide synthesis grade obtained from Rathburn Chemicals Ltd. and used without further purification. All other solvents used for the synthesis and purification were hplc grade solvents obtained from Rathburn. Deionised water was obtained from an Elga Maxima Ultra-Pure water purification system.

- 44 -

Samples for reverse phase hplc analysis were dissolved in a suitable aqueous solvent and filtered through a teflon filter (0.47 μ pore size, Anachem Ltd.). Hplc was performed on a Waters 990+ system with a diode array detector. A Waters μ Bondapak C-18 semi-preparative reverse phase hplc column (0.78x30 cm, P/N 84176) was used for both analysis and preparative purposes. Peak monitoring and data analysis were performed on Waters 990 software running on a NEC IBM-PC/AT compatible computer with 80286/80287 microprocessors. The samples were recovered from hplc fractions by freeze drying on a VirTis Freezemobile 5SL freeze drier. Electrospray mass spectra of the peptide nucleic acids were recorded by on a VG Biotech-BioQ or VG Biotech Platform mass spectrometers.

Small scale solid phase synthesis of peptide nucleic acids using Fmoc/O^tBu-fragment coupling strategy

10

15

20

25

30

In a polyethylene syringe (1 ml) equipped with a removable stainless steel needle fitted with a glass wool plug at the junction was placed the Novasyn TGR resin [preloaded with Fmoc-Lys(Boc)-OH 0.23 mmol/g; 10-25 mg, ca. 2.5-5 μ mol]. The needle was then inserted through a rubber septum fitted to a Büchner flask. Washing was done by adding solvent from the top of the syringe with the plunger removed and sucking into the receiver flask by a water aspirator. For the deprotection, coupling and capping stages, the plunger was re-attached and the reagent was taken up through the needle. Deprotection of the Fmoc group was accomplished by treatment of the Fmoc-peptide resin with freshly prepared 20 % piperidine in DMF (1.0 ml on a 5 μ mol scale synthesis) for 20 min with occasional agitation. After the specified period of time the reagent was ejected by depressing the plunger and washing carried out as described above. The solution from the deprotection stage containing the dibenzofulvene-piperidine adduct was collected and the OD₂₆₄ measured

10

15

20

25

30

to assess the efficiency of the previous coupling stage. The resin had to be washed exhaustively to ensure complete removal of the piperidine. The coupling was carried out similarly using typically 4 equivalents of the Fmocdipeptide pentafluorophenyl ester and 4 equivalents of HOBt.H2O in DMF with a final concentration of the pentafluorophenyl ester at approximately 0.1 M. Generally the coupling was completed within 3 h and no second coupling was required. In cases where incomplete coupling was suspected, the peptide resin was treated with 5 % Ac₂O in DMF (1 ml for a 5 μmol scale synthesis) for 30 min at room temperature to prevent the formation of deletion sequences. The acetylating mixture was ejected and the reaction vessel flushed with DMF 3 times before the deprotectioncoupling-capping steps repeated until the last peptide fragment had been added. The N-terminal Fmoc group was removed by 20 % piperidine in DMF and the resin was washed with DMF. If the sequence contained only thymine or if the exocyclic amino protecting groups were to be retained, the cleavage of the peptide nucleic acid from the resin with trifluoroacetic acid was performed directly. However, when a fully deprotected peptide nucleic acid containing adenine, cytosine and/or quanine was required, the resinbound peptide was capped with a Boc group prior to the cleavage as described below.

Deprotection of exocyclic amino protecting groups on nucleobases (A, C and/or G containing sequences only) via a temporary Boc-protection

The resin-bound peptide containing a free amino terminus (5 μ mol scale synthesis) was treated with a solution of di-t-butyl dicarbonate (50 μ L, 22 μ mol) and DIEA (35 μ L, 20 μ mol) in DMF (150 μ L) at room temperature. Kaiser testing indicated complete reaction after 3 h. The resin was washed several times with DMF and then the exocyclic amino protecting groups were removed by treatment with 1:1 mixture of ethylenediamine and 95 % ethanol (200 μ L) at room temperature

overnight. For cytosine containing sequences, the peptide nucleic acids were treated with 1:1 concentrated aqueous ammonia-dioxane at 55 °C for 16 h instead of ethylenediamine-ethanol to avoid the transamination reaction at cytosine residues. The resin-bound deprotected peptide nucleic acid from either method was washed with DMF then methanol and air dried.

Hybridisation studies with Peptide Nucleic Acids

5

10

15

20

25

30

Sterile deionised water was used for all experiments involving oligonucleotides and nucleopeptides. Poly(2'-deoxyadenylic acid) [poly(dA)] (sodium salt, average Mr 8.9x104) was obtained from Pharmacia Biotech. Polyadenylic acid [poly(rA)] (potassium salt, average Mr 7x106) was obtained from Fluka Chemicals Ltd. Oligonucleotides were synthesised by the phosphoramidite method on Applied Biosystems DNA synthesisers, model 380B or model 394. The exocyclic amino protecting groups were removed by heating with concentrated aqueous ammonia solution at 55°C overnight and the solvent was evaporated under vacuum at 40°C on a Savant SpeedVac vacuum concentrator (Savant Instruments). The oligonucleotides were purified by ethanol precipitation in the presence of ammonium acetate, reverse phase hplc (0.1 M triethylammonium acetate buffer-acetonitrile gradient system) or by an Oligonucleotide Purification Cartridge (OPC column, Applied Biosystems Inc.) as appropriate and were stored as a concentrated aqueous solution at neutral pH at -20°C.

The concentration of oligonucleotide, nucleic acid and nucleopeptide solutions was determined from the absorbance at 260 nm (OD260). The following molar extinction coefficients (e) were used without compensation for the hypochromic effect due to the formation of ordered secondary structure of single-stranded nucleic acids: A, 15.4 ml/mmol.cm; T, 8.8 ml/mmol.cm. The same values were also used for nucleopeptides.

Temperature dependent UV measurements

All the T_m measurements were carried out on a Varian CARY 13 UV spectrophotometer equipped with a temperature control system. The machine was controlled by a CARY 13 software running on an IBM PS/2 system model 30/286. The sample for T_m measurement was prepared by mixing calculated amounts of stock oligonucleotide and nucleopeptide solutions together and the calculated amounts of NaCl and sodium phosphate buffer (pH 7.0) were then added as stock solutions and the final volumes were adjusted to 3.0 ml by addition of water. The samples were transferred to a 10 mm quartz cell with teflon stopper and equilibrated at the starting temperature for at least 30 min. The OD260 was recorded in steps from 5-95 °C (heater temperature) with a temperature increment of 0.25-0.5 °C/min. The results were normalised by dividing the absorbance at each temperature by the initial absorbance. Analysis of the data was performed on a KaleidaGraph software 2.1.3 (Abelbeck Software) running on a MacIntosh LC III computer. The OD260 was normalised by dividing with the initial OD260. The melting temperatures were determined from the maxima of the first derivative plots of the normalised OD260 against temperature. Percent hyperchromicity was calculated from the ratio of the OD260 at the end of experiment to the initial OD260.

UV-Titration experiment

10

15

20

25

30

The UV titration experiment was performed on a Pye Unicam SP8-100 UV spectrophotometer at room temperature. To a solution containing the cis-D decathymine peptide nucleic acid (OD260 = 0.145; 16.5 mM dT nucleotide) and 10 mM sodium phosphate buffer pH 7.0 (2.0 ml) was added a 10 ml aliquot of a concentrated stock solution of poly(rA) (OD260 = 4.34; 0.28 mM dA nucleotide) in 10 mM sodium phosphate buffer pH 7.0. The absorbance was read against a blank

(10 mM sodium phosphate) and more poly(rA) aliquots were added until a total volume of 500 ml had been added. The ratio of the observed OD260 and the calculated OD260 (equation 2) were plotted against the mole ratio of T:A nucleotide (equation 3) and the stoichiometry was determined from the inflection point.

calcd. OD260= [OD260(T) x VT + OD260(A) x VA] / [VT + VA]
$$= [0.145 \times 2 + 4.34 \times VA(ml)]/2 + V(ml)](2)$$
10 ratio of T:A = $[\epsilon_A \times OD260(T) \times VT]/[\epsilon_T \times OD260(A) \times VA]$

$$= [15.4 \times 0.145 \times 2]/[8.8 \times 4.34 \times VA(ml)]$$
 (3)

5

15

20

25

N-(N-Fluoren-9-ylmethoxycarbonyl-0-t-butyl-L-seryl)-cis-4-(benzoylthymin-l-yl)-D-proline diphenylmethyl ester

N-Boc-D-Pro(*cis*-4-BzT)-ODpm (350 mg, 0.58 mmol) was dissolved in acetonitrile (5mL). *p*-Toluenesulfonic acid monohydrate (552 mg, 2.9 mmol) was added and the solution was stirred at room temperature for 1.5 h, after which tlc indicated complete deprotection of the N-Boc group. Diisopropylethylamine (515 ml, excess) and DMF (5 ml) were added and the reaction stirred under argon. In a separate reaction vessel, a mixture of Fmoc-L-Ser(O^tBu)-OH (268 mg, 0.70 mmol) HOBt.H₂0 (118 mg, 0.77 mmol) and DCCI (160 mg, 0.78 mmol) in DMF (2 ml) was stirred at room temperature. After 2 hours, a white precipitate of dicyclohexylurea formed which was removed by filtration and the filtrate transferred to the first reaction vessel. The reaction mixture was stirred at room temperature for a further 3 h then diluted with dichloromethane (50 ml) followed by washing with saturated aqueous NaHCO₃ and water. The organic phase was dried (MgSO₄) and the solvent removed under

10

15

20

25

reduced pressure to give the crude product as an oil which was purified by column chromatography (SiO₂; dichloromethane : acetone 20: 1). The product (R_f = 0.43) was obtained as a white foam (455 mg, 89 %), δ_{H} (200 MHz, CDCl₂) 1.15 (9H, s, ^tBu), 1.81 (3H, s, thymine CH₂), 2.01-2.15 and 2.41-2.83 [2H 2xm, CH₂(3')], 3.45-3.54(1H, m) 3.63-3.71 (1H, m) 3,80-3.89 (1H, m) [CH₂(5') and Ser CH₂H₄], 4.19-4.54(5H, m, unresolved Fmoc aliphatic CH, CH₂ and Ser CH₂H₂), 4.71-4.79 [2H, m, CH(2') and Ser CH], 5.18-5.30 [CH(4')], 5.73 - 5.77 (1H, d J = 8.2 Hz, peptide NH), 6.90 (1H, s, CHPh₂), 7.18 [1H, s, CH(6)], 7.22-7.66 (m, phenyl, Fmoc and benzoyl aromatic CH), 7.90-7.94 and 8.04-8.08 (2x2H, 2xd, Fmoc aromatic CH); d_c (50.28 MHz; CDCl₃) 12.3 (thymine CH₃), 27.3 (^tBu CH₃), 33.1 [CH₂(3')], 47.0 (Fmoc aliphatic CH), 49.5 [CH₂(5')], 52.5 and 52.9 [Ser C₂H and CH(4')], 57.5 [CH(2')], 63.3and 64.0 (Ser CH₂ rotamers), 67.3 (Fmoc CH₂), 73.9 (^tBu C), 78.5 (CHPh₂), 112.0[C(5)], 120.2 (Fmoc aromatic CH), 125.2-131.7 (aromatic CH), 135.4 and 136.0[CH(6) and benzoyl p-CH], 139.5 and 139.8 (aromatic C rotamers), 141.5, 143.9 and 144.1 (Fmoc aromatic C), 150.1 [C(2)], 156.2 (Fmoc CO), 162.7 [C(4)], 169.1 (benzoyl CO), 170.5 (peptide CO), 170.8 (ester CO); M/z (APCI+) 931 (M+C₄H₈+, 90%) 876 (M+H⁺, 88), 654, 587, 550, 503, 409, 165, 105 (PhCO⁺, 100) N-(N-Fluoren-9-ylmethoxycarbonyl-O-t-butyl-D-seryl)-cis-4-(benzoylthymin-1-yl)-D-proline diphenylmethyl ester was obtained in

(benzoylthymin-1-yl)-D-proline diphenylmethyl ester was obtained in analogous manner to the L-Ser-D-Pro diastereomer as a white foam [78 %, starting from 1.08 mmol of Boc-protected proline derivative and 1.20 mmol of Fmoc-D-Ser(OtBu)-OH] after column chromatography: $\delta_{\rm H}$ (200 MHz; CDCl₃) 1.18 and 1.21 (9H, 2xs, tBu rotamers), 1.70 and 1.85 (3H, 2xs, thymine CH₃ rotamers), 2.00-2.17 and 2.49-2.88 [2H, 2xm, CH₂(3')], 3.37-3.3.72 and 3.99-4.56 [m, unresolved CH₂(5'), Ser CH₂ and

Fmoc aliphatic CH, CH₂], 4.63-4.84 [2H, m CH(2') and Set CH], 5.21-5.40 [CH (4')], 5.80-5.84 (1H m, peptide NH, 6.96 (1H, m, CHPh₂ rotamers), 7.23 [1H, s, CH (6)], 7.25-7.97 (m, phenyl, Fmoc and benzoyl aromatic CH); d_c (50.28 MHz; CDCl₃) 12.3 and 12.4 (thymine CH₃ rotamers), 27.2 (Bu CH₃), 33.2 [CH₂(3')], 47.1 (Fmoc aliphatic CH), 50.2 [CH₂(5')], 52.2, 53.0 and 53.7 [Ser CH and CH(4') rotamers], 57.7and 57.9 [CH(2') rotamers], 63.3 (Ser CH₂ rotamers), 67.2 (Fmoc CH₂), 74.0 and 74.1(Bu C rotamers), 78.4 and 79.6 (CHPh₂ rotamers), 111.8 and 111.9 [C(5) rotamers], 120.2 (Fmoc aromatic CH), 125.4-131.7 (aromatic CH), 135.4 and 136.4 [CH(6) and benzoyl p-CH], 139.3 and 139.9 (aromatic C rotamers), 141.6, 144. 0 and 144.1 (Fmoc aromatic C), 150.0 [C(2)], 156.1 (Fmoc CO), 162.7 [C(4)], 169.2 (benzoyl CO), 170.7 (peptide CO), 170.8 (ester CO); m/z (APCI+) 930 (M+C₄H₈+, 26%) 876 (M+H+, 38), 708, 653, 587, 550, 503, 167 (Ph₂CH+, 100).

15

20

25

General procedure for deprotection of the diphenylmethyl ester in N-(N-Fluoren-9-ylmethoxycarbonyl-0-t-butylseryl)-cis-4-(benzoylthymin-1-yl)-D-proline diphenylmethyl ester

The protected dipeptide was treated with a mixture of saturated HCl in dioxane (ca. 5.1 M) and dichloromethane (2:1 v/v) (ca 5 ml/mmol) at room temperature and the progress of the reaction was monitored by tlc. Complete cleavage of the Dpm ester was observed after 6-12h. The reaction mixture was then diluted with dichloromethane and washed with half-saturated aq. Na₂HPO₄ and water. Evaporation followed by trituration with ether/light petroleum gave the product as a white solid.

N-(N-Fluoren-9-ylmethoxycarbonyl-0-t-butyl-L-seryl)-cis-4-(benzoylthymin-l-yl)-D-proline was obtained as a white solid [93 %, starting from 0.66 mmol of Fmoc-L-Ser(O^tBu)-D-Pro(cis-4-BzT)-ODpm]. ¹H nmr

15

20

25

revealed the presence of impurities, however, the crude product was used for the next step without further purification.

N-(N-Fluoren-9-ylmethoxycarbonyl-0-t-butyl-D-seryl)-cis-4- (benzoylthymin-1-yl)-D-proline was obtained as a write solid [87 %, starting from 1.46 mmol of Fmoc-D-Ser(O^tBu)-D-Pro(*cis-*4-BzT)-ODpm]. ¹H NMR revealed the presence of impurities, however, the crude product was used for the next step without further purification.

General procedure for synthesis of N-(N-Fluoren-9-ylmethoxycarbonyl-0-t-butylseryl)-cis-4-(benzoylthymin-1-yl)proline pentafluorophenyl ester

A mixture of the N-Fmoc-dipeptide, pentafluorophenol (1.1 eq) and DCCI (1.1 eq) in dichloromethane was stirred at room temperature for 2-3 hr. The precipitated dicyclohexylurea was filtered off, the solvent removed under reduced pressure and the residue purified by column chromatography (SiO₂, dichloromethane:acetone or EtOAc).

N-(N-Fluoren-9-ylmethoxycarbonyl-0-t-butyl-L-seryl)-cis-4-(benzoylthymin-l-yl)-D-proline was obtained as a white solid [50 %, starting from 1.46 mmol of Fmoc-L-Ser(O t Bu)-D-Pro(cis-4-BzT)-ODpm] δ_{H} (200 MHz; CDCl3) 1.15 (9H, s, 'Bu), 1.97 (3H, s, thymine CH $_{3}$), 2.30-2.44 and 2.88-3.04 [2H, 2xm, CH $_{2}$ (3')], 3.45-3.55 (1H, m) 3.59-3.69 (1H, m) 3.96-4.05 (1H, m) [CH $_{2}$ (5') and Ser C $_{4}$ H $_{b}$ J, 4.15-4.27, 4.35-4.39, 4.43-4.56, 4.19-4.54 (5H, m, unresolved Fmoc aliphatic CH, CH $_{2}$ and Ser CH $_{3}$ H $_{4}$ D, 4.67-4.88 [2H, m, CH(2') and Ser C $_{4}$ HJ, 5.28-5.35 [CH(4')], 5.53 -5.57 (1H d J = 8.2 Hz, peptide NH), 7.3 0-7.5 8 [m, CH(6), phenyl, Fmoc and benzoyl aromatic CH], 7.63-7.70 (2H, m, Bz o-CH), 7.74-7.78 and 7.90-7.94 (2x2H, 2xd, Fmoc aromatic CH); m/z (APCl+) 876 (M+H+, 100), 819 (71), 771, 715, 690, 470, 310, 179, 122.

N-(N-Fluoren-9-ylmethoxycarbonyl-0-t-butyl-D-seryl)-cis-4-(benzoylthymin-1-yl)-D-proline was obtained as a white solid [20 %, starting from 1.46 mmol of Fmoc-D-Ser(O^tBu)-D-Pro(*cis*-4-BzT)-ODpm] $\delta_{\rm H}$ (200 MMz; CDCl₃) 1.17 (9H, s, ^tBu), 1.97 (3H, s, thymine CH₃), 2.26-2.45 and 2.90-3.05 [2H, 2xm, CH₂(3')], 3.49-3.70(2H, m), 4.05-4.39 (m) [CH₂(5'), Fmoc aliphatic CH, CH₂ and Ser CH₂), 4.61-4.72(1H, m Ser C_aH), 4.85-4.93 [1H, m, CH(2')], 5.30-5.39 [CH(4')], 5.58 - 5.62 (1H, d J = 8.2 Hz, peptide NH), 7.23 [1H, s, CH(6)], 7.31-7.60 (m, phenyl, Fmoc and benzoyl aromatic CH), 7.63-7,71 (2H, m, Bz o-CH), 7.75-7.79 and 7.91-7.95 (2x2H, 2xd, Fmoc aromatic CH)

5

10

15

20

25

Solid phase synthesis of chiral peptide nucleic acids containing seryl-Dproline backbone using Fmoc/OBu-fragment coupling strategy

Synthesis of cPNA containing D-seryl-D-proline backbone was carried out on 5 mmol scales on Novasyn TGR resin [preloaded with Fmoc-Lys(Boc)-OH 0.23 rnmol/g; 10-25 mg, ca. 2.5-5 pmol] using the dipeptide pentafluorophenyl esters in the presence of HOBT in DMF (4 eq each, 3 h, rt) as described previously. The coupling reaction was monitored by measurement of the amounts of dibenzofulvene-piperidine adduct released upon deprotection at 300 nm which generally indicated 95-100 % efficiency. After the addition of the final residue was completed, the N-terminal Fmoc group was removed by 20 % piperidine in DMF and the cPNA was released from the resin by treatment with trifluoroacetic acid containing 5 % anisole (ca. 1 ml for a 5 µmol synthesis) at room temperature for 4-6 h with occasional agitation. After the specified period of time, the cleavage solution was diluted with diethyl ether (ten times the volume) and kept at -20°C overnight. The suspension was then centrifuged at 13,000 rpm for 5 min. After decanting the supernatant, the crude cPNA was washed with ether and the centrifugation-wash process repeated 4-5 times. Finally the crude cPNA was air dried and dissolved in 10 % aqueous acetonitrile containing 0.1 % trifluoroacetic acid. The crude

- 53 -

solution was filtered and analysed or purified by reverse phase hplc. The sample elution was carried out using a gradient of water-acetonitrile containing 0. I % trifluoroacetic acid. The identity of the products were proved by ESI-MS. The yield of the cPNAs as determined by measurement of OD260 were 28 and 16 % for LD-ST 10 and DD-ST 10 respectively.

¹H NMR experiment

5

¹H NMR study of a mixture of DD-ST10 and dA₁₀ was

performed on a Bruker AMX 500 spectrometer (500 MHz). The ¹H NMR spectra of DD-ST10 and dA₁₀ were recorded separately (at a concentration of 0.53 mM for the DD-ST10 and 0.67 mM for the dA₁₀ in 10 % D₂O in H₂O). Upon addition of 20 mol % of dA₁₀ (as a concentrated aqueous solution) to a solution of 0.53 mM of DD-ST10 in 10 % D₂O-H₂O, an immediate precipitation occurred.

References

- 1. E Uhlmann and A. Peyman, Chem Rev., 1990, **90**(4), 543.
- 2. a) P. Garner and J. U. Yoo, Tetrahedron Lett., 1993, 34,
- 5 1275; b) I. Lewis, Tetrahedron Lett., 1993, **34**, 5697; c) A. Lenzi,
 - G. Reginato, M. Taddei and E. Trifilieff, Tetrahedron Lett., 1995, 36, 1717.
 - 3. P. E. Nielsen, M. Egholm, R. H. Berg and O. Buchardt, Science, 1991, **254**, 1497.
 - 4. O. Almarsson, T. C. Bruice, J. Kerr and R. N. Zuckermann,
- 10 Proc. Natl. Acad. Sci. USA, 1993, 90, 7518.
 - 5. P K T Lin and D M Brown, Nucleic Acids Research, 1989, **17**, 10373-83.
 - 6. J. Kovacs in The Peptides Vol 2, E. Gross and J. Meienhofer ed., Academic Press, New York, 1980, pp. 486-536.
- 7. G. B. Fields and R. L. Noble, Int. J. Peptide Protein Res., 1990, **35**, 161.
 - 8. T.W. Green and P.G.M. Wuts, Protecting Groups in Organic Synthesis, 2nd edn., John Wiley & Sons, New York, I991, p.328.
 - 9. Z.Tozuka & T. Takaya, J. Antibiotics, 1983, **36**, 142
- 20 10. G.C. Stalakatos, A. Paganon and L.Zervas, J.Chem. Soc. C, 1966, 1
 - 11. L. Kisfaludy and I. Schon, Synthesis, 1983, 325.
 - 12. M.L. Peterson and R. Vince J. Med. Chem., 1991, **34**,, 2787.
 - 13. M. T. Chenon, R. J. Pugmire, D. M. Grant, R. P. Panzica and
- 25 L. B. Townsend, J. Am. Chem. Soc., 1975, 97, 4627.

30

- 14. R. R. Chauvette, R. A. Pennington, C. W. Ryan, R. D. E. Cooper, L. Jose, I.G. Wright, E.M. Heyningen, G. W. Huffmann J. Org. Chem., 1971, 36, 1259.
- 15. D. M. Brown, A. Todd and S. Varadarajan, J. Chem. Soc., 1956, 2384.

- 16. T. F. Jenny, K. C. Schneider and S. A. Benner, Nucleosides & Nucleotides, 1992, **11**, 1957.
- 17. a) E. Atherton and R.C. Sheppard, Solid Phase Peptide Synthesis, A Practical Approach. IRL Press, Oxford, 1989; b) G.B. Fields and R.L. Noble, Int. J. Peptide Protein Res., 1990, 35, 161.
- 18. a) M. Goodman and K. C. Steuben, J. Am. Chem. Soc., 1962, **84**, 1279; b) M. Bodanszky, Principles of Peptide Synthesis, Springer-Verlag, Heidwlberg, 1984, p. 174.
- 19. P. S. Miller, M. P. Reddy, A, Murakami, K R Blake, S.-B. Lin and C. H. Agris, Biochemistry, 1986, **25**, 5092.
 - 20. E. P. Stirchak, J. E. Summerton and D. D. Weller, J. Org. Chem., 1987, **52**, 4202.
 - 21. D. D. Perrin and W. L. F. Amarego, Purification of Laboratory Chemicals, 3rd ed., Pergamon Press, Oxford, 1988.
- 15 22. J. B. Miller, J. Org. Chem., 1959, 24, 560.
 - 23. E. Kaiser, R. L. Colescott, C. D. Bossinger and P. I. Cook, Anal. Biochem., 1970, **34**, 595.

- (i)
- (ii)
- N_3 -BzT, Ph_3P , DEAD in THF, rt, O/N (51 %) a) THF:satd. HCl in MeOH 1:1, rt, 3h b) FmocGlyOPfp, DIEA in dioxane, rt, O/N (99 %) 10 % HBr in HOAc, rt, 1 h (50 %)
- (iii)

Scheme 1

5

- $\mbox{Ph}_2\mbox{CN}_2,$ EtOAc $\,$ rt, O/N (90 %) HCO $_2\mbox{H},$ Ph $_3\mbox{P},$ DEAD in THF, rt, O/N (quant.) aq. NH $_3$, MeOH, 1 h (90 %) (i) (ii)
- (iii)

Scheme 2

- 57 -

3 $R^1 = Boc; R^2 = Dpm; R^3 = T^{Bz}$

4 $R^1 = FmocGly; R^2 = Dpm; R^3 = T^{Bz}$

5 $R^1 = FmocGly; R^2 = H; R^3 = T$

6 $R^1 = FmocGly; R^2 = Pfp; R^3 = T$

$$R^2O_2C$$
 R^3

8
$$R^1 = Boc; R^2 = Dpm; R^3 = A^{Bz}$$

9 $R^1 = FmocGly; R^2 = Dpm; R^3 = A^{Bz}$

10 $R^1 = FmocGly; R^2 = Pfp; R^3 = A^{Bz}$

11 $R^1 = Boc; R^2 = Dpm; R^3 = C^{Bz}$

12 $R^1 = FmocGly; R^2 = Dpm; R^3 = C^{Bz}$

13 $R^1 = \text{FmocGly}; R^2 = \text{Pfp}; R^3 = C^{Bz}$

14 $R^1 = Boc; R^2 = Dpm; R^3 = G^{Ibu}$

15 $R^1 = FmocGly; R^2 = Dpm; R^3 = G^{lbu}$

16 $R^1 = FmocGly; R^2 = Pfp; R^3 = G^{lbu}$

- 58 -

Solid Support: Novasyn TGR Resin (dimethoxybenzhydrylamine-PEG) preloaded with Fmoc-Lys(Boc) (0.2 mmol/g loading) Synthesis cycle: Fmoc group removal 5 20 % piperidine in DMF 15 min. \downarrow wash DMF x 3 \downarrow 10 coupling 4 eq. Fmoc-dipeptide-OPfp/HOBt (0.1 M in DMF) 3 h wash DMF x 3 15 \downarrow capping 5 % Ac₂O in DMF 15 min 20 wash DMF x 3 Final deprotection: 20 % piperidine in DMF 30 min Cleavage: 95 % TFA 3 h followed by ether precipitation and 25 washing

Scheme 3

X = -OH. -Pfp

$$X = -OH. -Pfp$$

 $X = -OH. -Pfp$
 $X = -OH. -Pfp$

- (i) 5 eq. p-TsOH, MeCN, rt. 3h
- (ii) Fmoc-Ser(O'Bu)-OH, DCCI, HOBt, DIEA in MeCN:DMF 1:1 rt, 3h (70-90%)
- (iii) 4 N HCl in dioxane:dichloromethane (2:1). rt. O/N
- (iv) PfpOH. DCCI in dichloromethane. rt. 2h (20-30 %, 2 steps)

Scheme 4

Chiral Peptide Nucleic	M _r (found)	M _r (calcd.)
Acid		
H-[Gly-D-Pro(trans-4-T)] ₁₀ -Lys-	2927.53±1.54	2927.88 [M]
NH ₂	2968.29±0.40	2965.97 [M-H+K]
	3005.07±0.53	3004.26 [M-2H+2K]
H-[Gly-L-Pro(<i>cis</i> -4-T)] ₁₀ -Lys-	2929.02±0.34	2927.88 [M]
NH ₂	2967.27±0.97	2965.97 [M-H+K]
	3005.88	3004.26 [M-2H+2K]
H-[Gly-D-Pro(cis-4-T)] ₁₀ -Lys-	2929.88±2.81	2927.88 [M]
NH ₂	2965.52±0.36	2965.97 [M-H+K]
	3004.38±1.39	3004.26 [M-2H+2K]
	3043.83±0.66	3042.15 [M-3H+3K]

Table 1: Electrospray mass spectral data of T₁₀ chiral peptide nucleic
 acids. Experimental values are the averaged mass derived from various protonated species in the mass spectra.

- 61 -

Table 2: Melting Temperatures

Melting temperatures T_m (°C) and % hypochromicity obtained from melting curves (recorded at 260 nm) of the hybrids of the cPNAs with poly(rA), poly(dA) and dA₁₀ in 150 mM sodium chloride, 10 mM sodium phosphate pH 7.0. The T_m s were determined from the maxima of the first derivative plots of the normalised OD_{260} against temperature. The T_m for the T_{10} oligodeoxyribonucleotide bound to poly(dA) is 27°C at the same pH and ionic strength.

cPNA	T _m with poly (rA) (°C) and % hypochromicity	T _m with poly(dA) (°C) and % hypochromicity	T _m with dA ₁₀ (°C)
H-[Gly-D-Pro(<i>cis</i> -4-T)] ₁₀ -LysNH ₂	72 (45%)	70 (28%)	61
H-[Gly-L-Pro(<i>cis</i> -4-T)] ₁₀ -LysNH ₂	73 (36%)	69 (40%)	42
H-[Gly-D-Pro(<i>trans-</i> 4-T)] ₁₀ -LysNH ₂	No melting observed	No melting observed	No melting observed

15

CLAIMS

5 1. A compound of formula (I):

$$\begin{bmatrix} X & & & \\ O & & & \\ O & & & \\ N & & & \\ N & & & \\ Y & & & \\ & & &$$

where n is 1 or 2-200,

B is a protected or unprotected base capable of Watson-Crick or of Hoogsteen pairing,

R is H, C_1 - C_{12} alkyl, C_6 - C_{12} aralkyl or C_6 - C_{12} heteroaryl which may carry one or more substituents preferably selected from hydroxyl, carboxyl, amine, amide, thiol, thioether or phenol.

X is OH or OR' where R' is a protecting group or an activating group or a lipophilic group or an amino acid or amino amide or nucleoside,

Y is H or a protecting group or a lipophilic group or an amino acyl group or nucleoside.

2. A compound as claimed in claim 1, wherein the structure is (II) or (III) where n, B, R, X and Y are as defined in claim 1.

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X \\ O \\ O \\ N \end{bmatrix}_{n}$$

$$\begin{bmatrix} X$$

- 3. A compound as claimed in claim 1 or claim 2, wherein B is a naturally occurring nucleobase selected from adenine, cytosine, guanine,
- 5 thymine and uracil.
 - 4. A compound as claimed in any one of claims 1 to 3, wherein -CO-CHR-NH- is a residue of a naturally occurring amino acid.
 - 5. A compound as claimed in any one of claims 1 to 4, wherein R is CH_2OH or $(CH_2)_4NH_2$ or H.
- 10 6. A compound as claimed in claim 1, wherein n is 1,

B is a naturally occurring nucleobase selected from adenine, cytosine, guanine, thymine and uracil.,

R is H or CH₂OH or (CH₂)₄NH₂.

15 X is OH or OR',

R' is an activating group for example pentafluorophenyl,

Y is H or a protecting group for example Fmoc.

- 7. A compound as claimed in any one of claims 1 to 5, wherein n is 2-200 preferably 5-30.
- 20 8. A hybrid comprising two strands of which a first strand is a compound according to claim 7 and a second strand is an oligo- or polynucleotide or nucleic acid.

- 9. A hybrid as claimed in claim 8, wherein the two strands are hybridised to one another in a 1:1 molar ratio by base-specific Watson-Crick base pairing.
- 10. A method of making the peptide nucleotide analogue of formula (I), comprising the steps of:

5

15

- a) reacting an N-protected C-protected 4-hydroxy proline with a base selected from N_3 -protected thymine, N_6 -protected adenine, N_4 -protected cytosine, N_2 - O_6 -protected guanine and N_3 -protected uracil.
- b) deprotecting the proline amino group of the product of a),
- 10 c) reacting the product of b) with an N-protected amino acid,
 - d) optionally removing protecting groups from the product of c).
 - 11. A method as claimed in claim 10, wherein in a) 4-hydroxyproline in the form of a N-Boc/Dpm ester is reacted with N_3 -benzoyl thymine, N_6 -benzoyl adenine, N_4 -benzoyl cytosine, N_2 -benzoyl- O_6 -(4'-nitrophenylethyl)guanine or N_3 -benzoyl uracil, and in c) an Fmoc amino acid ester is used.
 - 12. A method as claimed in claim 10 or claim 11, wherein an N-protected C-protected trans-4-hydroxy proline is used in a).
- 13. A method of converting a peptide nucleotide analogue of formula (I) in which n is 1 into a peptide oligonucleotide of formula (I) in which n is 2-200, comprising the steps of:
 - i) providing a support carrying primary amine groups,
 - ii) coupling an N-protected peptide nucleotide analogue of formula (I) to the support,
- 25 iii) removing the N-protecting group,
 - iv) coupling an N-protected nucleotide analogue of formula (I) to the thus-derivatised support,
 - v) repeating steps iii) and iv) one or more times, and
- vi) optionally removing the resulting peptide oligonucleotide from the support.

- 14. A method as claimed in claim 13, wherein a pentafluorophenyl ester of the peptide nucleotide analogue is used in step ii) and iii).
- 15. A compound of formula (IV)

$$OR^{2}$$
 O
 R^{3}
 (IV)

10


where R^2 is H or a protecting group, R^3 is H or a protecting group compatible with R^2 , and B is a protected or unprotected heterocyclic base.


- 16. A compound as claimed in claim 15, wherein R² is diphenylmethyl and R³ is t-butoxycarbonyl.
 - 17. A compound as claimed in claim 15 or claim 16, wherein B is a protected or unprotected nucleobase selected from adenine, cytosine, guanine, thymine and uracil.
 - 18. A compound of formula (V)


15


where R^2 is diphenylmethyl, and R^3 is t-butoxycarbonyl.

19. A compound as claimed in any one of claims 1 to 7, wherein at least one of B, R, X and Y includes a signal moiety.









INTERNATIONAL SEARCH REPORT

Int. .tional Application No PCT/GB 97/02820

a. classii IPC 6	FICATION OF SUBJECT MATTER C07K14/00 C07K7/06 C07K7/06 C07D403/04	8 C07D239/46	C07D239/54				
According to International Patent Classification (IPC) or to both national classification and IPC							
B. FIELDS	SEARCHED						
Minimum documentation searched (classification system followed by classification symbols) IPC 6 C07K C07D							
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched							
Electronic data base consulted during the international search (name of data base and, where practical, search terms used)							
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT						
Category °	Citation of document, with indication, where appropriate, of the rele	evant passages	Relevant to claim No.				
х	EP 0 646 596 A (BAYER AG) 5 April 1995 see the whole document		1-13,15				
Y	EP 0 095 584 A (SQUIBB & SONS INC) 7 December 1983 see page 59		15-19				
Y	US 5 401 901 A (GERRY MICHAEL E March 1995 see claim 1	T AL) 28	15-19				
Furt	her documents are listed in the continuation of box C.	X Patent family members	are listed in annex.				
° Special ca	ategories of cited documents :	*T* later document published after	er the international filing date				
	ent defining the general state of the art which is not	or priority date and not in co	inflict with the application but ciple or theory underlying the				
	dered to be of particular relevance document but published on or after the international	invention "X" document of particular releva					
filing o	date ent which may throw doubts on priority claim(s) or	cannot be considered novel	or cannot be considered to nen the document is taken alone				
which	is cited to establish the publication date of another in or other special reason (as specified)	"Y" document of particular releva					
"O" docum	ent referring to an oral disclosure, use, exhibition or	document is combined with	one or more other such docu-				
"P" docume	other means "P" document published prior to the international filing date but later than the priority date claimed "A" document member of the same patent family						
Date of the actual completion of the international search Date of mailing of the international search report							
2	3 February 1998	20.03.98					
Name and	mailing address of the ISA	Authorized officer					
	European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,	Deffner, C-A	4				

INTERNATIONAL SEARCH REPORT

Information on patent family members

Inter onal Application No
PCT/GB 97/02820

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 0646596 A	05-04-95	DE 4331011 A AU 7161994 A CA 2131760 A JP 7112969 A	16-03-95 23-03-95 14-03-95 02-05-95
EP 0095584 A	07-12-83	AU 1383783 A CA 1258853 A JP 1745873 C JP 4032071 B JP 58203987 A US 4681886 A	03-11-83 29-08-89 25-03-93 28-05-92 28-11-83 21-07-87
US 5401901 A	28-03-95	DE 69210249 D DE 69210249 T EP 0604426 A JP 7502940 T WO 9305960 A US 5488766 A	30-05-96 05-09-96 06-07-94 30-03-95 01-04-93 06-02-96